

1878.

NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-SECOND ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to Parliament by Command.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

1878.

1878.

VITAL STATISTICS.

THE REGISTRAR GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1877.

WITH PREFATORY REPORT.

Registrar General's Department,
Sydney, 1 May, 1878.

Sir,

I have the honor to submit the Statistical Tables relating to Marriages, Births, and Deaths, for the year 1877.

The estimated population of the Colony on the 31st December, 1877, was 662,212 persons, which makes an addition during the year of 32,436 persons, or 5·15 per cent. The estimated number of the population, sexes was as follows:—Males, 367,323, females, 294,889, so that the former were 72,434 in excess of the latter. The percentage of males to total population was 55·47, and of females 44·53, showing a difference of 10·94 in favour of males, which figures are 0·46 higher than those for the previous year. The proportion of males per 1,000 of population was 555, and of females 445. The following figures show the increase for each half year:—

Half-year ending 30th June, 1877.

Births	11,457	Deaths	5,502
Arrivals by sea	18,255	Departures by sea	10,574
Total.....	29,712		Total.....

showing a net increase of 13,636 persons, and bringing the estimated population to 643,412 persons.

Half-year ending 31st December, 1877.

Births	12,394	Deaths	4,367
Arrivals by sea	20,373	Departures by sea	9,600
Total.....	32,767		Total.....

showing a net increase of 18,800 persons, and making our estimated population to number 662,212 persons
The

The registers show that during the year 1877 there were 4,994 marriages celebrated, being an increase of 364 on the previous year. The number of births registered was 23,851, as against 23,298 in the year preceding, giving an addition of 553 births to the year under consideration. Registered deaths numbered 9,869, which are fewer by 1,324 than those for the previous year.

(A.)

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during each Quarter of the Year 1877.

Quarter ended—	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney—							
31st March	339	417	401	818	272	253	525
30th June	344	384	412	796	286	233	519
30th September	350	475	421	896	223	196	419
31st December	310	456	433	889	313	224	537
TOTAL.....	1,343	1,732	1,667	3,399	1,094	906	2,000
Suburbs—							
31st March	114	376	343	719	167	164	331
30th June	157	443	378	821	191	184	375
30th September	125	411	457	868	131	127	258
31st December	160	432	406	838	186	171	357
TOTAL.....	556	1,662	1,584	3,246	675	646	1,321
Country Districts—							
31st March	791	2,106	1,977	4,083	1,271	716	1,987
30th June	773	2,156	2,064	4,220	1,062	703	1,765
30th September	777	2,453	2,204	4,657	920	530	1,450
31st December	754	2,183	2,063	4,246	855	491	1,346
TOTAL.....	3,095	8,898	8,308	17,206	4,108	2,440	6,548
New South Wales—							
31st March	1,244	2,899	2,721	5,620	1,710	1,133	2,843
30th June	1,274	2,983	2,854	5,837	1,539	1,120	2,659
30th September	1,252	3,339	3,082	6,421	1,274	853	2,127
31st December	1,224	3,071	2,902	5,973	1,354	886	2,240
TOTAL.....	4,994	12,292	11,559	23,851	5,877	3,992	9,869

From the number of Marriages celebrated during the year 1877, we find that the rate per 1,000 of estimated population was 7·76, which figures show that the average for the previous nine years has been a little more than fully sustained. Marriages celebrated in the City numbered 1,343, which gives a rate of 13·81 to estimated population. The number of Suburban marriages was 556, which amount to 7·21 per 1,000; and 3,095 was the number for the Country Districts, making 6·58 per 1,000. The City rate is 1·18 lower than the average of the previous nine years; that for the Suburbs is higher by 2·19 than the previous nine years' average, and also higher by 0·95 than any single year of the same period. The Country Districts show a rate of 1·08 in excess of the average of the previous nine years. Of the total number of marriages we find that the Church of England celebrated 37·42 per cent.; Roman Catholic, 19·82; Presbyterian, 17·10; Wesleyan, 10·19; Primitive Methodist, 2·20; Congregational, 4·86; Baptist, 1·40; and Registrars, 6·07.

(B.)

Denomination.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
Church of England	1,024	1,018	1,159	1,232	1,381	1,547	1,572	1,618	1,759	1,869
Roman Catholic	912	901	908	885	836	992	837	953	921	990
Presbyterian.....	698	663	548	648	827	914	886	906	761	854
Wesleyan	333	313	363	364	397	462	518	502	487	509
Primitive Methodists	51	58	70	60	73	60	60	93	101	110
Congregationalist.....	96	106	82	99	148	164	180	186	232	243
Baptist	21	25	37	30	51	44	52	46	39	70
Christian Israelite
Unitarian	2	4	3	4	3	3	1	1
Hebrew	13	13	4	10	6	10	10	11	14	20
Protestant Episcopal	2	5	16	16	16	3
Free Church of England...	350	446	451	395
German Evangelical	2	2	7	4	9	7	14	17	19	20
Christians	1	6	1	3	3	4	4	3
Free Gospel Chnrch	1
Free Christian Church	2	2
Registrars' Offices	233	243	215	219	191	179	208	250	275	303
TOTAL.....	3,736	3,799	3,848	3,953	3,925	4,384	4,343	4,605	4,630	4,994

MARRIAGE TABLE of Increase or Decrease.

Denomination.	1876.	1877.	1876. Per cent.	1877. Per cent.	Increase. Per cent.	Decrease. Per cent.
Church of England.....	1,759	1,869	37.97	37.42	0.55
Roman Catholic.....	921	990	19.89	19.83	0.06
Presbyterian.....	761	854	16.44	17.10	0.66
Wesleyan.....	487	509	10.52	10.19	0.33
Congregational.....	232	243	5.01	4.87	0.14
Primitive Methodist.....	101	110	2.18	2.20	0.02
Baptist.....	39	70	0.84	1.40	0.56
Hebrew.....	14	20	0.30	0.40	0.10
Protestant Episcopal.....	16	3	0.36	0.06	0.30
German Evangelical.....	19	20	0.41	0.40	0.01
Christians.....	6	3	0.13	0.06	0.07
Registrars' Offices.....	275	303	5.95	6.07	0.12
	4,630	4,994	100.00	100.00	1.46	1.46

Referring now to the condition of those who entered into the married state during the year 1877, we see that out of the total number of persons married (9,988) there were 4,484 bachelors, 4,435 spinsters, 509 widowers, and 556 widows. 1 divorced man and 3 divorced women again entered into the state of matrimony.

TABLE of Bachelors, Spinsters, &c.

	No. of Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Man.	Divorced Women.
Sydney.....	1,343	1,183	1,177	159	165	1	1
Suburbs.....	556	463	482	93	74
Country Districts.....	3,095	2,838	2,776	257	317	2
TOTAL.....	4,994	4,484	4,435	509	556	1	3

The number of those who were married under the age of 21 years during the year 1877 was 1,682, or 16.84 per cent. of the total number married. From the total number of minors married we find that males numbered 170 or 10.11 per cent., and females 1,512, or 89.89 per cent. From the total number of persons married in Sydney, it will be found that 10.68 per cent. were minors; the Suburbs and Country Districts showing 12.86 and 20.22 respectively.

TABLE of Minors.

	No. of Marriages.	Minors.		
		Male.	Female.	Total
Sydney	1,343	30	257	287
Suburbs	556	23	120	143
Country Districts	3,095	117	1,135	1,252
TOTAL	4,994	170	1,512	1,682

MINORS and Marks.

	Males.	Females.	Total.
Sydney	1	12	13
Suburbs	3	3
Country Districts	11	137	148
TOTAL	12	152	164

Looking

Looking now to the number of those who were unable to affix their signatures to the marriage registers, we find that from the total number of persons married (9,988), there were 422 males and 553 females, in all 975. In my Report for the year 1876, I showed that this class of persons were 2 per cent. less than those for 1875, and now I have to report a further reduction of 0·71 per cent. on the percentage of 1876. Out of the 975 persons who were compelled to signify their assent by marks, we find that 164 or 16·82 per cent. were minors, who were distributed as follows:—Sydney, 13; Suburbs, 3; Country Districts, 148.

	No. of Marriages.	Full Signatures.			Marks.			Marks per cent.
		Males.	Females.	Total.	Males.	Females.	Total.	
Sydney	1,343	1,266	1,197	2,463	77	146	223	8·30
Suburbs	556	527	520	1,047	29	36	65	5·85
Country Districts	3,095	2,779	2,724	5,503	316	371	687	11·10
Totals.....	4,994	4,572	4,441	9,013	422	553	975	9·76

(C.)

TABLE showing the number of MARRIAGES registered in the Colony of New South Wales during each Quarter of the Years 1868 to 1877.

	Estimated Population at the middle of the Year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.*
Sydney	1868	71,310	304	321	281	286	1,192
	1869	74,310	332	330	299	314	1,275
	1870	77,131	297	313	323	302	1,235
	1871	79,540	320	325	316	255	1,216
	1872	79,745	305	256	264	230	1,055
	1873	83,000	316	346	299	297	1,258
	1874	86,213	277	339	306	302	1,224
	1875	89,796	324	324	297	287	1,232
	1876	93,269	321	349	296	298	1,264
	1877	97,235	339	344	350	310	1,343
		3,135	3,247	3,031	2,881	12,294	
Suburbs	1868	49,313	68	72	61	52	253
	1869	51,387	91	52	64	74	281
	1870	53,338	72	59	60	52	243
	1871	55,004	46	47	60	61	214
	1872	63,160	73	71	65	77	286
	1873	65,738	90	65	69	92	316
	1874	68,281	80	81	77	75	313
	1875	71,119	102	114	101	109	426
	1876	73,872	113	101	117	132	463
	1877	77,014	114	157	125	160	556
		849	819	799	884	3,351	
Country Districts	1868	335,749	582	544	602	563	2,291
	1869	349,877	574	546	572	551	2,243
	1870	363,102	646	539	576	609	2,370
	1871	374,504	657	661	630	575	2,523
	1872	384,777	679	648	613	644	2,584
	1873	400,479	729	710	685	686	2,810
	1874	415,976	689	729	707	681	2,806
	1875	433,264	786	731	740	690	2,947
	1876	450,025	832	713	687	671	2,903
	1877	469,163	791	773	777	754	3,095
		6,965	6,594	6,589	6,424	26,572	
New South Wales	1868	456,372	954	937	944	901	3,736
	1869	475,574	997	928	935	939	3,799
	1870	493,631	1,015	911	959	963	3,848
	1871	509,048	1,023	1,033	1,006	891	3,953
	1872	527,682	1,057	975	942	951	3,925
	1873	549,217	1,135	1,121	1,053	1,075	4,384
	1874	570,470	1,046	1,149	1,090	1,058	4,343
	1875	594,179	1,212	1,169	1,138	1,086	4,605
	1876	617,166	1,266	1,163	1,100	1,101	4,630
	1877	643,412	1,244	1,274	1,252	1,224	4,994
		10,949	10,660	10,419	10,189	42,217	

* The numbers in this column doubled give the persons married in every 1,000 of the population.

BIRTHS.

During the year 1877 we find that the total number of Births registered in the Colony was 23,851, viz., 12,292 males and 11,559 females, or 51·54 and 48·46 per cent. respectively. There were then 733 more male than female children. In the previous year the excess of male over female children was 1·22 per cent.; for the year under consideration it is 3·08 per cent. Of the total number of births 14·25 per cent. occurred in the City, 13·61 per cent. in the Suburbs, and 72·14 per cent. in the Country Districts. The birth rate of the Colony per 1,000 of estimated population for the year 1877 was 37·05, which is 0·70 lower than the previous year, and 2·16 below the average of the previous nine years. On referring to the decennial tables it will be seen that, with the exception of the year 1873, the birth rate of the Colony has been gradually on the decrease year by year. The City shows a birth rate of 34·95, which is lower by 0·53 than the preceding year, and 1·69 under the average of the nine previous years. In the Suburbs the birth rate for the year was 42·15, which is 0·76 higher than the previous year, but 1·61 lower than the nine previous years' average. The Country Districts show a birth rate of 36·67. Here again we find a decrease of 0·95 on the previous year, and 2·29 on the average of the previous nine years.

(D.)

TABLE showing the number of BIRTHS registered in the Colony of New South Wales during each Quarter of the Years 1868 to 1877.

	Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.	
Sydney	1868	71,310	650	680	678	585	2,593	36·36
	1869	74,310	637	762	782	664	2,845	38·28
	1870	77,131	685	757	773	694	2,909	37·71
	1871	79,540	724	752	802	702	2,980	37·48
	1872	79,745	700	729	727	723	2,879	36·09
	1873	83,000	760	755	826	724	3,065	36·92
	1874	86,213	762	775	824	760	3,121	36·20
	1875	89,796	748	858	797	759	3,162	35·21
	1876	93,269	838	865	873	734	3,310	35·48
	1877	97,235	818	796	896	889	3,399	34·95
		7,322	7,729	7,978	7,234	30,263		
Suburbs	1868	49,313	532	557	631	557	2,277	46·17
	1869	51,387	581	679	615	644	2,519	49·02
	1870	53,338	596	679	654	617	2,546	47·73
	1871	55,004	632	652	666	651	2,601	47·28
	1872	63,160	580	612	659	585	2,436	38·56
	1873	65,738	696	700	710	657	2,763	42·03
	1874	68,281	637	713	729	708	2,787	40·80
	1875	71,119	685	740	785	698	2,908	40·89
	1876	73,872	721	772	832	733	3,058	41·39
	1877	77,014	719	821	868	838	3,246	42·15
		6,379	6,925	7,149	6,688	27,141		
Country Districts	1868	335,749	3,364	3,399	3,594	3,258	13,615	40·55
	1869	349,877	3,298	3,430	3,679	3,472	13,879	39·66
	1870	363,162	3,234	3,493	3,892	3,574	14,193	39·08
	1871	374,504	3,521	3,537	3,903	3,601	14,562	38·88
	1872	384,777	3,687	3,624	3,941	3,683	14,935	38·81
	1873	400,479	3,755	3,509	4,202	4,150	15,616	38·99
	1874	415,976	3,824	3,993	4,331	4,212	16,270	39·11
	1875	433,264	3,893	4,113	4,282	4,170	16,458	37·98
	1876	450,025	4,091	4,948	4,505	4,286	16,930	37·62
	1877	469,163	4,083	4,220	4,657	4,246	17,206	36·67
		36,750	37,276	40,986	38,652	153,664		
New South Wales	1868	456,372	4,546	4,636	4,903	4,400	18,485	40·50
	1869	475,574	4,516	4,871	5,076	4,780	19,243	40·46
	1870	493,631	4,515	4,929	5,319	4,885	19,648	39·80
	1871	509,048	4,877	4,941	5,371	4,954	20,143	39·57
	1872	527,682	4,967	4,965	5,327	4,991	20,250	38·37
	1873	549,217	5,211	4,964	5,738	5,531	21,444	39·04
	1874	570,470	5,223	5,391	5,884	5,680	22,178	38·87
	1875	594,179	5,326	5,711	5,864	5,627	22,528	37·92
	1876	617,166	5,650	5,685	6,210	5,753	23,298	37·75
	1877	643,412	5,620	5,837	6,421	5,973	23,851	37·05
		50,451	55,930	56,113	52,574	211,068		

From

From the Table following we learn that the number of children born in the Colony out of wedlock during the year 1877 was 989, or 4·14 per cent. of the total number of births. This proportion is slightly in excess of that for the previous year. The illegitimate birth rate of the Colony was 1·53. For Sydney it amounted to 3·13, for the Suburbs 0·98, and for the Country Districts 1·29. The high rate for the City can to some extent be accounted for by the large number of these births registered from the Benevolent Asylum, which institution no doubt accommodates many cases from all parts of the Colony :—

(E.)

TABLE showing the number of CHILDREN born out of WEDLOCK in the Colony of New South Wales, from 1st January, 1868 to 31st December, 1877.

Year.	Sydney.			Suburban.			Country Districts.			Total.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
1868 ...	67	82	149	30	28	58	253	239	492	350	349	699
1869 ...	106	78	184	29	28	57	274	228	502	409	334	743
1870 ...	90	95	185	52	38	90	250	230	480	392	363	755
1871 ...	105	101	206	30	31	61	259	256	515	394	388	782
1872 ...	94	88	182	34	32	66	287	281	568	415	401	816
1873 ...	98	101	199	42	44	86	293	311	604	433	456	889
1874 ...	117	124	241	40	48	88	305	301	606	462	473	935
1875 ...	132	128	260	41	44	85	321	281	602	494	453	947
1876 ...	170	136	306	43	45	88	309	247	556	522	428	950
1877 ...	161	144	305	34	43	77	315	292	607	510	479	989
	1,140	1,077	2,217	375	381	756	2,866	2,666	5,532	4,381	4,124	8,505

I now come to the decennial table showing the number of triplets and twins born in the Colony, from which we see that during the year 1877 no case of triplets is recorded. There were 209 cases of twins, consisting of 222 male and 193 female children; in all 415, or 1·74 per cent. of the total number of children born. One case of quadruplicate birth occurred, consisting of 2 male and 2 female children.

(F.)

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from 1st January, 1868, to 31st December, 1877.

Year.	Triplets.				Twins.			
	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
1868	3	7	2	9	162	174	150	324
1869	4	6	6	12	165	161	169	330
1870	2	1	5	6	188	189	187	376
1871	1	2	1	3	194	198	190	388
1872	5	7	8	15	179	173	183	356†
1873	1	3	3	189	204	173	377*
1874	4	9	3	12	177	182	171	353*
1875	1	3	3	200	180	219	399*
1876	1	1	1	2*	195	188	193	381‡
1877	209	222	193	415§
	22	33	32	65	1,858	1,871	1,828	3,699

* One still-born.

† Two still-born.

‡ Nine still-born.

§ Three still-born.

DEATHS.

From the death registers for the year 1877, we learn that the rate of mortality was considerably lower than for the two preceding years. The number of deaths registered in the Colony was 9,869, as against 11,193 in the previous year. The percentage of male deaths to total deaths is 59·55, and of female deaths 40·45; the former being 19·10 per cent. higher than the latter. The death rate for the Colony per 1,000 is 15·34, which is 2·79 lower than the previous year; but 0·32 over the average of the nine years preceding. The average of daily rate of mortality is about 27. The rate for Sydney, for the year 1877, was 20·57, which is under the figures for the previous year by 6·13, and also for the average of the previous nine years by 2·42. The average daily rate for the City was 5·48. The Suburbs show a death rate of 17·15, and here we find a difference of 5·66 in favour of the year under consideration, as compared with the previous year, and 0·82 lower than the nine years' previous average. For the Country Districts the death rate was 13·95, which is lower by 1·64 than the previous year, but 1·06 higher than the average rate of the previous nine years. The consideration of these figures indicates that the past year has been an unusually healthy one, and that the greatest improvement is to be noticed in the City of Sydney.

(G.)

TABLE showing the number of DEATHS registered in the Colony of New South Wales, during each Quarter of the Years 1868 to 1877.

	Estimated population at the middle of each year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.	
Sydney	1868	71,310	413	410	349	427	1,599	22'42
	1869	74,310	371	354	377	409	1,511	20'33
	1870	77,131	386	355	337	414	1,492	19'34
	1871	79,540	332	362	439	450	1,583	19'90
	1872	79,745	477	398	438	497	1,810	22'69
	1873	83,000	468	430	408	494	1,800	21'68
	1874	86,213	460	401	492	724	2,077	24'09
	1875	89,796	900	560	562	651	2,673	29'76
	1876	93,269	758	699	565	469	2,491	26'70
	1877	97,235	525	519	419	537	2,000	20'57
Suburbs.....			5,090	4,488	4,386	5,072	19,036	
	1868	49,313	216	247	215	278	956	19'59
	1869	51,387	240	226	220	245	931	18'11
	1870	53,338	200	193	187	210	790	14'81
	1871	55,004	182	169	247	285	883	16'05
	1872	63,160	244	184	192	295	915	14'48
	1873	65,738	213	248	249	287	997	15'16
	1874	68,281	298	291	262	348	1,199	17'56
	1875	71,119	533	332	295	487	1,647	23'15
	1876	73,872	516	505	332	332	1,685	22'81
Country Districts	1877	77,914	331	375	258	357	1,321	17'15
			2,973	2,770	2,457	3,124	11,324	
	1868	335,749	1,335	1,273	1,027	1,035	4,670	13'90
	1869	349,877	1,216	1,141	940	952	4,249	12'14
	1870	363,162	1,216	1,122	994	944	4,276	11'77
	1871	374,504	988	949	969	1,035	3,941	10'52
	1872	384,777	1,418	1,134	1,110	1,081	4,743	12'32
	1873	400,479	1,326	1,180	1,169	1,139	4,814	12'02
	1874	415,976	1,350	1,409	1,309	1,308	5,376	12'92
	1875	433,204	1,749	1,879	1,452	1,371	6,451	14'89
New South Wales	1876	450,025	1,738	1,954	1,739	1,586	7,017	15'59
	1877	469,163	1,987	1,765	1,450	1,346	6,548	13'95
			14,323	13,806	12,159	11,797	52,085	
New South Wales	1868	456,372	1,964	1,930	1,591	1,740	7,225	15'83
	1869	475,574	1,827	1,721	1,537	1,606	6,691	14'06
	1870	493,631	1,802	1,670	1,518	1,568	6,558	13'28
	1871	509,048	1,502	1,480	1,655	1,770	6,407	12'58
	1872	527,682	2,139	1,716	1,740	1,873	7,468	14'15
	1873	549,217	2,007	1,858	1,826	1,920	7,611	13'85
	1874	570,470	2,108	2,101	2,063	2,380	8,652	15'16
	1875	594,179	3,182	2,771	2,309	2,509	10,771	18'12
	1876	617,166	3,012	3,158	2,636	2,387	11,193	18'13
	1877	643,412	2,843	2,659	2,127	2,240	9,869	15'34
			22,386	21,064	19,002	19,993	82,445	
5,436,751								

INFANTILE MORTALITY.

The number of deaths of children under 5 years of age, recorded in the Colony during the year 1877, was 4,293, which gives a percentage of 43'49 to total number of deaths. Comparing this with the previous year we see an increase of 1'77 per cent.; and it is also 0'72 per cent. higher than the average of previous nine years. The percentage for Sydney was 40'75, which is lower by 0'35 than the previous year, and as much as 4'13 under the average of the preceding nine years. Infantile mortality for the Suburbs was 54'73, which closely approximates to the percentage of the previous year, and to the average of the previous nine years. In the Country Districts the percentage to total deaths was 42'07, being 3'18 higher than the previous year, and also 2'63 in excess of the previous nine years' average. Thus it will be noticed that during the year 1877 the general health of Sydney was meliorated, and that the death of children under five years of age had greatly decreased.

(H.)
INFANTILE MORTALITY.

Year.	Total Deaths of the Year.	Total Deaths under 5 years.	Percentage of total Deaths under 5 years to Deaths of the year.	Sydney.			Suburbs.			Country Districts.		
				Total Deaths of Year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of Year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of Year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.
1868	7,225	3,105	42.97	1,599	748	46.77	956	512	53.55	4,670	1,845	39.50
1869	6,691	2,973	44.43	1,511	712	47.12	931	553	59.39	4,249	1,708	40.19
1870	6,558	2,803	42.74	1,492	673	45.10	790	411	52.02	4,276	1,719	40.20
1871	6,407	2,705	42.21	1,583	743	46.93	883	487	55.15	3,941	1,475	37.42
1872	7,468	3,203	43.91	1,810	815	45.02	915	503	54.97	4,743	1,885	39.74
1873	7,611	2,924	38.42	1,800	719	39.94	997	510	51.15	4,814	1,695	35.62
1874	8,652	3,768	43.55	2,077	929	44.72	1,199	672	56.04	5,376	2,167	40.31
1875	10,771	4,958	46.03	2,673	1,264	47.29	1,647	913	55.43	6,451	2,781	43.10
1876	11,193	4,670	41.72	2,491	1,024	41.10	1,685	917	54.42	7,017	2,729	38.89
1877	9,869	4,293	43.49	2,000	815	40.75	1,321	723	54.73	6,548	2,755	42.07
	82,445	35,402		19,035	8,442		11,324	6,201		52,085	20,759	
Mean of 10 years	8,244	3,549		1,903	844		1,132	620		5,208	2,075	

TABLE showing the BIRTHS and DEATHS of Males and Females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1877, distinguishing the Deaths under 5 years of age.

Wards	Population, Census, 1871.	Births.			Deaths.						Total Deaths.
		Males.	Females.	Total.	Under 5 years.			Above 5 years.			
1. Gipps	8,969	192	214	406	41	51	92	52	35	87	179
2. Bourke	5,257	68	52	120	24	18	42	243	159	402	444†
3. Brisbane	7,269	127	103	230	37	30	67	56	40	96	163
4. Macquarie	7,945	138	146	284	39	31	70	39	35	74	144
5. Cook	14,694	492	466	958	104	93	197	83	97	180	377
6. Fitzroy	12,000	241	212	453	60	37	97	76	80	156	253‡
7. Phillip	8,154	254	238	492	78	57	135	52	42	94	229§
8. Denison	10,135	220	236	456	63	51	114	47	50	97	211
Totals	*74,423	1,732	1,667	3,399	446	368	814	648	538	1,186	2,000

* Exclusive of the Islands in Port Jackson.

† 272 of these deaths occurred in the Sydney Infirmary, and 76 in Hyde Park Asylum.

‡ St. Vincent's Hospital, 27 deaths; Darlinghurst Gaol, 9; and Lunatic Reception House, 3.

§ Benevolent Asylum, 47.

(I.)

Ward.	Percentage of—																																							
	Deaths under 5 years to total Deaths in each Ward.														Deaths under 5 years to Births in each Ward.														Total Deaths to Population in each Ward. (Census 1861 and 1871.)											
	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
1. Gipps	57'70	53'75	51'53	57'05	48'48	45'39	52'34	56'13	42'13	51'40	25'79	22'16	19'30	22'82	22'47	20'96	29'71	37'37	23'04	22'65	44'64	41'23	37'46	40'00	46'34	46'17	56'76	66'53	54'68	44'09	2'13	2'21	1'81	1'75	1'84	1'81	2'38	2'82	2'41	2'00
*2. Bourke	17'84	13'62	11'41	13'01	13'53	10'74	9'44	12'50	6'57	9'46	28'69	25'78	26'62	35'07	40'16	36'52	36'21	55'09	25'20	35'00	7'17	5'84	6'28	6'86	6'88	7'43	8'46	9'89	9'26	8'44
3. Brisbane	55'77	55'40	50'72	58'82	47'91	39'86	56'73	49'05	45'15	41'10	34'52	26'79	24'47	27'30	23'09	18'91	41'99	38'01	36'47	29'13	61'90	48'36	48'25	45'41	48'16	47'43	74'02	77'49	80'78	70'87	2'47	2'34	2'18	1'87	1'98	2'03	2'86	2'89	2'83	2'24
4. Macquarie	45'26	55'26	46'96	53'02	51'87	46'71	43'24	50'27	49'71	48'61	25'74	28'00	16'48	21'16	25'27	22'45	33'21	29'29	24'65	56'83	52'66	35'10	39'78	48'71	44'56	53'05	66'07	58'92	50'70	2'10	1'68	1'46	1'37	1'67	1'72	1'86	2'33	2'20	1'81	
5. Cook	58'29	55'15	63'72	57'14	55'62	53'77	61'16	58'27	58'27	52'25	30'52	21'61	22'49	18'93	27'51	23'95	30'62	41'00	34'65	22'56	52'37	39'19	35'30	33'12	49'45	44'54	52'07	70'37	59'47	39'35	2'40	2'34	2'60	1'48	2'18	2'25	2'47	3'62	3'37	2'56
6. Fitzroy	54'62	54'61	49'66	52'57	42'75	39'14	47'53	46'91	40'97	38'34	28'41	25'62	25'21	31'56	27'00	23'11	28'72	33'48	33'48	21'41	52'02	45'92	50'77	60'04	63'15	59'03	60'42	84'16	81'72	55'85	3'05	2'37	2'70	2'26	2'30	2'15	2'37	3'23	3'09	2'11
7. Phillip	55'81	54'44	59'37	65'62	57'47	53'84	57'14	61'59	49'82	53'95	29'26	30'43	26'76	29'34	27'47	23'09	27'55	33'23	23'25	27'44	52'44	55'90	45'07	44'56	47'80	42'89	43'22	62'15	55'71	46'54	2'18	3'04	2'70	1'96	2'13	2'07	2'66	3'54	3'42	2'81
8. Denison	57'14	60'00	54'60	56'27	64'41	54'18	56'56	64'53	54'02	54'03	27'95	24'05	22'13	22'98	33'89	25'82	25'43	44'31	30'92	25'00	48'93	40'09	40'54	40'75	61'94	47'65	46'81	68'68	57'24	46'27	1'99	2'11	2'02	1'69	2'33	2'00	1'95	2'92	2'57	2'08

* The Infirmary is situated in Bourke Ward.

(J.)

District.	Percentage of—																																							
	Deaths under 5 years to total Deaths in each District.														Deaths under 5 years to Births in each District.														Total Deaths to Births in each District.											
	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
1. Sydney	46'77	47'12	45'10	46'93	45'02	39'94	44'72	47'29	41'10	40'70	28'84	25'02	23'13	24'93	28'30	23'49	29'76	39'97	30'93	23'94	61'66	53'11	51'28	53'12	62'86	58'72	66'55	84'53	75'25	58'84	2'81	2'65	1'93	2'07	2'37	2'36	2'72	3'50	3'27	2'62
2. Balmain	52'08	62'88	52'94	58'06	61'54	57'62	64'62	61'43	63'05	52'94	20'74	19'74	18'30	17'76	22'00	18'88	25'06	33'24	34'13	18'24	39'83	31'39	34'57	30'60	35'73	32'77	38'78	54'12	54'13	34'45	2'43	2'46	2'58	1'35	1'52	1'71	2'13	3'05	2'94	2'22
3. Glebe	56'52	65'67	60'16	52'87	53'93	49'97	57'44	63'52	53'25	56'25	30'11	27'93	24'58	16'91	17'84	17'32	27'93	33'44	28'21	26'13	53'28	42'54	40'86	31'98	33'08	35'29	48'62	52'64	53'00	46'45	3'71	3'61	3'31	1'52	1'55	1'88	2'46	2'77	2'95	2'51
4. Newtown	51'16	54'02	41'77	53'12	47'36	52'41	57'83	52'90	53'55	57'17	22'33	20'43	12'17	19'10	18'15	19'95	23'13	39'24	27'83	24'73	43'65	37'82	29'15	35'95	38'32	38'05	40'00	74'19	51'97	43'34	2'03	1'86	1'45	1'67	1'83	2'09	3'69	2'66	2'59	
5. Redfern	58'51	68'16	63'15	66'40	65'51	55'15	57'00	60'90	54'16	60'00	24'49	25'49	19'41	23'38	24'35	22'75	23'72	32'00	27'95	23'23	41'86	37'40	30'73	35'21	37'17	41'25	41'63	52'50	51'61	38'70	4'03	3'65	3'11	1'98	1'79	2'03	2'21	2'72	2'96	2'22
*6. Waterloo	66'94	57'14	67'54	68'04	55'34	57'92	27'27	24'43	33'44	36'87	32'30	25'53	
7. Paddington	48'76	53'48	45'37	54'60	52'72	44'56	51'04	54'06	54'64	52'90	21'29	22'44	13'00	20'75	24'54	16'14	26'07	32'33	33'43	19'29	43'66	41'95	28'64	38'00	46'61	36'14	51'07	59'81	66'06	36'47	2'38	2'53	1'58	1'30	1'44	1'31	1'98	2'27	2'77	1'69
* Randwick ... } Waverley ... }	18'18	40'00	33'33	32'26	20'68	36'84	18'18	13'33	17'64	37'03	13'04	18'18
8. Concord	39'13	52'17	36'73	43'90	44'67	50'00	40'10	44'70	55'00	58'25	15'12	18'90	12'94	12'58	16'28	15'13	13'12	23'89	37'42	32'08	38'65	35'22	35'25	28'67	37'20	30'25	32'50	53'46	68'10	55'08	1'95	1'95	2'07	1'16	1'33	1'30	1'47	2'41	3'15	2'92
9. St. George	56'36	50'49	55'40	39'80	53'35	37'09	48'43	39'00	53'60	45'55	23'56	16'45	13'89	12'19	15'53	11'16	16'06	21'10	26'80	17'89	42'58	32'58	25'08	30'62	22'72	30'10	33'16	54'13	50'00	39'29	1'94	1'79	1'31	1'16	0'84	1'16	1'19	2'21	2'36	1'88
10. St. Leonards..	47'91	46'94	34'78	45'45	32'72	48'33	44'94	35'90	50'00	50'00	12'63	14'11	8'51	16'21	9'27	14'35	19'51	13'40	25'20	15'60	26'37	30'06	24'45	35'67	28'35	30'00	43'41	37'32	50'41	31'20	1'39	1'42	1'33	1'28	1'07	1'16	1'73	1'52	2'38	1'52

* Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872; and Waverley Sub-district of Paddington, 1st August, 1876.

					Population, Census, 1871.	Births.	Deaths under 5	Total Deaths.
1. Sydney	76,159	3,399	814	2,000
2. Balmain	6,886	444	81	153
3. Glebe	5,721	310	81	144
4. Newtown	7,922	473	117	205
5. Redfern	8,092	465	108	180
6. Waterloo	6,306	358	95	164
7. Paddington	425	82	155	
Randwick	28	1	13	
Waverley	49	13	25	
8. Concord	3,520	187	60	103
9. St. George...	5,340	257	46	101
10. St. Leonards	234	38	76	
Manly	16	1	2	

From the decennial table now following, which shows the percentage of deaths from various causes, we find that during the year 1877 the class of Zymotic Diseases constituted 23·27 of total deaths. Of these diseases we find a decrease of 6·26 per cent. on the previous year, but 0·43 higher than the preceding nine years' average. Constitutional Diseases had increased from 11·41 in 1876 to 12·45 in 1877, showing a rise of 1·04, and also of 0·24 on the average of the preceding nine years. The percentage for Local Diseases was 37·87, being 2·66 in excess of the previous year, but a decrease of 0·38 on the previous nine years' average. Under Developmental class of disease we find the percentage to be 17·90, which is 1·98 under the preceding year, and closely approximates to the average of previous nine years. The percentage of Violent Deaths was 7·55, which is 0·18 lower than the average of previous nine years.

TABLE showing the DEATHS at ALL AGES, from 1 to 100 years, in Sydney, Suburbs, and the Country Districts, for the Year ended 31 December, 1877.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and upwards.	Age unspecified.	Grand Total.
Males—																											
Sydney.....	307	90	18	22	9	21	16	23	28	59	51	56	60	50	70	46	59	41	30	12	5	8	...	2	...	11	1094
Suburbs	245	64	28	14	14	21	8	8	12	13	30	18	24	27	31	22	27	26	16	16	6	4	...	1	...	675	
Country Districts	979	332	104	59	44	137	73	84	101	127	159	192	193	201	184	180	213	207	185	165	73	39	17	12	5	43	4108
Total.....	1531	486	150	95	67	179	97	115	141	199	240	266	277	273	285	248	299	274	231	193	84	51	17	14	6	54	5877
Females—																											
Sydney.....	255	80	17	16	11	24	16	25	32	40	32	50	35	48	32	41	45	33	31	26	5	7	4	1	1	9	906
Suburbs	231	83	24	7	13	16	15	15	11	17	32	26	17	24	25	22	17	16	13	11	8	3	646
Country Districts	768	271	86	64	48	135	83	78	72	83	89	79	85	56	62	64	77	75	60	53	30	13	2	1	1	3	2440
Total.....	1254	434	127	77	72	175	114	118	115	140	153	155	137	128	119	127	139	124	104	93	43	23	6	2	2	12	3992

(K.)

	1868. Per- centage.	1869. Per- centage.	1870. Per- centage.	1871. Per- centage.	1872. Per- centage.	1873. Per- centage.	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.
CLASS I.—ZYMOTIC DISEASES.										
Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c.	22·85	20·41	17·37	16·58	19·09	15·52	20·09	27·12	26·36	19·85
2.—Enthetic Diseases—Syphilis, Gonorrhœa, &c.	0·47	0·19	0·26	0·28	0·36	0·46	0·34	0·23	0·44	0·26
3.—Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1·77	1·60	0·98	1·16	1·29	1·59	1·50	1·66	2·31	2·57
4.—Parasitic Diseases, Thrush, Worms, &c....	0·40	0·30	0·34	0·36	0·29	0·28	0·45	0·39	0·42	0·59
	25·49	22·50	18·95	18·38	21·03	17·85	22·38	29·46	29·53	23·27
CLASS II.—CONSTITUTIONAL.										
Order 1.—Diathetic Diseases—Gout, Dropsy, Cancer, &c.	3·34	3·62	3·52	4·03	4·09	4·27	3·69	3·24	3·58	3·78
2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	7·70	7·53	9·01	9·24	9·52	8·78	8·74	8·22	7·83	8·67
	11·04	11·15	12·53	13·27	13·61	13·05	12·43	11·46	11·41	12·45
CLASS III.—LOCAL.										
Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c.	14·16	14·09	14·44	15·36	15·33	15·50	14·62	12·13	11·55	12·62
2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c.	4·04	5·16	6·08	5·85	5·01	5·99	5·73	4·61	4·79	4·84
3.—Respiratory—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	9·23	10·12	9·64	10·47	9·35	10·87	11·34	10·13	10·09	10·87
4.—Digestive—Gastritis, Enteritis, Peritonitis, Hernia, &c.	6·08	6·83	6·67	7·10	6·81	7·15	6·31	6·64	6·36	7·27
5.—Urinary—Nephritis, Ischuria, Diabetes, &c.	0·97	1·27	1·18	1·64	1·42	1·60	1·68	1·62	1·80	1·92
6.—Generation—Ovarian Dropsy, Uterus Diseases, &c.	0·43	0·46	0·24	0·34	0·47	0·25	0·17	0·21	0·24	0·08
7.—Joints—Arthritis, Ostitis, Periostitis, &c.	0·15	0·15	0·12	0·14	0·12	0·14	0·11	0·18	0·18	0·11
8.—Integumentary—Phlegmon, Ulcer, Skin Disease, &c.	0·26	0·33	0·21	0·19	0·23	0·06	0·13	0·10	0·20	0·16
	35·32	38·41	38·58	41·09	38·44	41·56	40·09	35·62	35·21	37·87
CLASS IV.—DEVELOPMENTAL.										
Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c.	5·15	5·47	5·46	4·62	5·06	4·32	4·36	4·68	4·23	6·28
2.—Adults—Paramenia, Childbirth, &c.	0·49	0·69	0·70	0·80	0·49	0·74	1·00	0·98	1·26	1·03
3.—Old People—Old Age, &c.	5·23	4·95	5·32	5·26	5·54	6·42	5·13	4·96	5·45	5·08
4.—Nutrition—Atrophy, Debility	6·98	7·13	7·37	6·54	6·25	7·06	6·27	5·57	4·98	5·51
	17·85	18·24	18·85	17·22	17·34	18·54	16·76	16·19	15·92	17·90
CLASS V.—VIOLENCE.										
Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	7·71	7·67	9·68	8·67	7·91	7·82	6·84	6·02	6·34	6·72
2.—Wounds in Battle—Gunshot Wounds
3.—Homicide—Murder and Manslaughter...	0·26	0·21	0·13	0·34	0·27	0·24	0·28	0·15	0·24	0·21
4.—Suicide—Poison, Drowning, Hanging, &c.	0·55	0·57	0·53	0·44	0·55	0·46	0·65	0·48	0·42	0·61
5.—Execution—Hanging	0·06	0·03	0·07	0·05	0·03	0·02	0·03	0·01
Unclassified—Violent Deaths	0·07
	8·58	8·45	10·34	9·48	8·80	8·57	7·80	6·74	7·03	7·55
Unspecified	1·72	1·25	0·75	0·56	0·78	0·43	0·54	0·59	0·90	0·96

The figures immediately following show the percentage which the deaths from each disease named bear to the total number of deaths registered in Sydney, Suburbs, and Country Districts:—

	Sydney.	Suburbs.	Country Districts.							
Scarlatina	0·20	0·30	1·31	Insanity	0·84
Diphtheria	1·00	2·34	2·35	Epilepsy	0·60	0·76	0·53
Croup	0·85	3·10	2·45	Convulsions	3·95	5·07	5·43
Whooping Cough	0·75	0·27	0·19	Brain Disease	1·70	1·06	1·00
Typhoid and Infantile Fever	3·05	2·95	4·20	Aneurism	0·50	0·07	0·45
Erysipelas	0·55	0·30	0·38	Heart Disease	4·20	4·54	4·29
Metria	0·6	Bronchitis	4·25	3·86	4·38
Influenza	0·55	Pleurisy	0·40	0·45	0·33
Dysentery	0·60	0·98	2·09	Pneumonia	3·70	3·40	4·26
Diarrhoea	7·85	8·63	4·81	Congestion of Lungs	1·10	1·28	1·03
Cholera	0·80	1·44	0·65	Asthma	0·30	0·38
Remittent Fever	0·35	Lung Disease	0·50	0·07	0·59
Rheumatism	0·60	0·60	0·58	Gastritis	1·30	1·06	0·75
Syphilis	0·45	0·27	0·09	Ecteritis	1·10	2·80	2·50
Privation	0·49	Peritonitis	0·80	0·60	0·41
Want of Breast Milk	1·55	1·74	0·68	Hepatitis	1·35	0·83	0·58
Alcoholism	1·70	0·76	0·91	Liver Disease, &c.	1·40	1·51	0·99
Thrush	0·15	0·15	0·53	Nephritis	0·55	0·38	0·23
Dropsey	2·35	1·28	1·17	Nephria	1·50	0·91	0·38
Cancer	1·65	1·21	1·80	Kidney Disease	0·50	0·68	0·38
Tumour	0·45	0·30	0·35	Premature Birth	2·40	2·27	2·15
Scrofula	0·50	0·53	0·24	Teething	2·55	3·33	3·97
Tabes Mesenterica	2·05	3·25	1·42	Childbirth	0·90	0·38	1·16
Phthisis	8·30	7·87	4·81	Old Age	2·80	2·80	6·23
Hydrocephalus	0·35	0·98	0·38	Atrophy and Debility	5·70	7·72	5·01
Cephalitis	2·50	2·57	1·19	Fractures and Contusions	2·00	0·51	3·49
Apoplexy	3·05	2·12	1·25	Burns and Scalds	0·30	0·27	1·03
Paralysis	2·00	0·91	1·89	Drowning	0·75	1·36	2·43

Date
10/7/28
= 0·39
1·64
0·38
22·88

The table which immediately follows shows the number of Deaths in Sydney, Suburbs, and Country Districts respectively, from the diseases specified, giving the total number of deaths from each cause, and also the deaths under 5 years of age.

	Sydney.		Suburbs.		Country Districts.	
	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.
ZYMOTIC DISEASES.						
Measles	2	1
Scarlatina	4	3	4	2	86	47
Diphtheria	20	15	31	20	154	83
Croup	17	15	41	34	162	128
Whooping Cough	15	15	3	3	13	12
Typhoid and Infantile Fever	61	13	39	6	275	55
Erysipelas	11	7	4	2	25	7
Influenza	1	1	36	21
Metria	2	1	11
Dysentery	12	3	13	8	137	85
Diarrhoea	157	120	114	100	315	252
Cholera	16	12	19	16	43	30
Remittent Fever	23	13
Rheumatism	12	8	38	3
Syphilis	9	5	3	2	6	5
Privation	32
Want of Breast Milk	31	31	23	23	45	45
Alcoholism	39	10	60
Thrush	3	3	2	2	35	35
 CONSTITUTIONAL DISEASES.						
<i>(93 hours)</i>						
Dropsey	47	5	17	2	77	7
Cancer	33	16	118
Tumour	9	4	23	1
Scrofula	10	1	7	7	16	7
Tabes Mesenterica	41	41	43	43	93	92
Phthisis	166	3	104	5	315	10
Hydrocephalus	7	6	13	13	25	25
 LOCAL DISEASES.						
<i>(192)</i>						
Cephalitis	50	42	34	25	78	50
Apoplexy	61	28	82
Paralysis	40	12	1	124	2
Insanity	2	1	55
Epilepsy	12	2	10	1	35	2
Convulsions	79	76	67	67	356	356
Brain Disease, &c.	34	3	14	5	66	10
Aneurism	10	1	30
Heart Disease	84	2	60	2	281	9
Bronchitis	85	34	51	35	287	185
Pleurisy	8	1	6	2	22	2
Pneumonia	74	24	45	23	279	99
Congestion of lungs	22	18	17	14	68	35
Asthma	1	4	25
Lung Disease, &c.	10	3	1	39	1
Gastritis	26	23	14	10	49	38
Enteritis	22	13	37	26	164	83
Peritonitis	16	2	8	1	27	6
Hepatitis	27	11	1	38	4
Liver Disease, &c.	28	3	20	2	65
Nephritis	11	4	5	1	15	4
Nephria	30	1	12	25	2
Kidney Disease	10	9	2	25	2
 DEVELOPMENTAL DISEASES.						
<i>(192)</i>						
Premature Birth	48	48	30	30	141	141
Teething	51	51	44	44	260	260
Childbirth	18	5	76
Old age	56	37	408
Atrophy and debility	114	114	102	102	328	328

The mean average monthly number of deaths in Sydney for the last ten years was 158. On reference to the decennial table below it will be seen that in the city the greatest number of deaths are recorded in the months of January and December, the mean temperature for these months being 71·6 and 70·7 respectively. The two months in the year which show the lowest mean mortality are September and October, when the mean temperature was 58·4 and 63·5 respectively. The greatest mean rainfall during any month in the ten years was in May, when we have a record of 8·52 inches, and the lowest in August, with 1·86 inch.

(L.)

Period.	No. of Deaths.	Mean Temperature.	Mean Height of Barometer.	Rain.		Mean Amount of Ozone.
				Depth.	Days.	
January...	198	71·6	29·924	3·74	14	4·9
February	159	70·8	29·995	6·78	16	5·0
March ...	151	69·2	30·078	5·87	16	5·0
April ...	148	64·7	30·111	5·58	12	5·3
May ...	158	58·7	30·099	8·52	16	5·4
June ...	143	55·0	30·116	4·44	10	5·2
July ...	151	52·7	30·169	4·85	12	5·6
August ...	154	54·9	30·101	1·86	10	5·4
September	134	58·4	30·096	2·27	11	5·7
October...	140	63·5	30·030	3·48	14	5·6
November ...	165	66·5	29·940	4·11	13	5·5
December ...	202	70·7	29·924	2·42	11	5·0
Mean of 12 months	158	63·0	30·048	4·49	12	5·3

I have the honor to be,

Sir,

Your obedient servant,

EDWD. GRANT WARD,

Registrar General.

INDEX TO TABLES.

	PAGE.
Births—	
Quarterly Abstract (1877)	4
" (1866 to 1877)	7
Children out of Wedlock	8
Triplets and Twins	8
In the Colony	17
In each District	17
In each Ward of the City, in proportion to Deaths, &c.	11
In each Suburban District	11
At Sea, registered in the Colony...	60
In each Ward of the City	10
Deaths—	
Quarterly Abstract (1877)	4
" (1866 to 1877)	9
In the Colony	17
In each District	17
In each Ward of the City, in proportion to Births, &c.	11
In each Suburban District	11
Infants, 1868 to 1877	10
Males, at Ages, New South Wales, with Diseases and Ages	20
" City of Sydney, " "	29
" Suburban Districts " "	38
" Country Districts " "	47
Females " New South Wales " "	23
" City of Sydney " "	32
" Suburban Districts " "	41
" Country Districts " "	50
Both Sexes " New South Wales " "	26
" City of Sydney " "	35
" Suburban Districts " "	44
" Country Districts " "	53
From each Cause, in the City of Sydney	57
Monthly Mortality	56
At Sea, registered in the Colony...	60
Mortality, Temperature, &c.	15
Diseases classified (1868, 1869, 1870, 1871, 1872, 1873, 1874, 1875, 1876, and 1877, compared)	13
In each Ward of the City	10
Deaths from all Ages (1 to 100 years)...	12
Marriages—	
Quarterly Abstract (1877)	4
" (1868 to 1877)	6
In the Colony	17
In each District	17
Denominations (1877)	19
" (1868 to 1877)	4
Registration Districts and District Registrars	60
Temperature, Height of Barometer, Rain, &c. (1868 to 1877)	15

APPENDIX.

A.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales, during the year ended 31st December, 1877.

	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney	1,343	1,732	1,667	3,399	1,094	906	2,000
Suburban Districts	556	1,662	1,584	3,246	675	646	1,321
Metropolitan	1,899	3,394	3,251	6,645	1,769	1,552	3,321
Country Districts	3,095	8,898	8,308	17,206	4,108	2,440	6,548
	4,994	12,292	11,559	23,851	5,877	3,992	9,869

B.

TABLE showing the MARRIAGES, BIRTHS, and DEATHS registered in each District of the Colony of New South Wales, during the year ended 31st December, 1877.

District.	Popula-tion, Census 1871.	Mar-riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
I.—NORTH-EASTERN.												
1. Richmond River	4,528	28	235	64	111	124	3	2	36	28	171	
2. Tweed River	449	1	15	4	10	5	3	1	11	
3. Grafton	{ 8,965	{ 71	440	118	226	214	3	7	65	53	322	
McLean												
4. Macleay River	{ 4,975	{ 37	216	42	117	99	2	1	28	14	174	
Bellinger River												
Nambucca River												
5. Port Macquarie	2,131	11	67	27	34	33	14	13	40	
6. Manning River	5,171	37	201	35	112	89	3	2	22	13	166	
7. Port Stephens	2,659	13	128	43	62	66	24	19	85	
8. Dungog	1,950	17	81	16	42	39	...	1	10	6	65	
9. Clarence Town	1,000	10	38	13	27	11	1	1	8	5	25	
10. Paterson	2,561	12	87	28	44	43	1	2	15	13	59	
11. Raymond Terrace	3,015	19	90	37	46	44	2	2	14	23	53	
12. Maitland	13,670	116	474	219	250	224	13	9	123	96	255	
13. Morpeth	3,289	26	131	37	71	60	3	2	16	21	94	
14. Patrick's Plains	6,699	37	243	89	128	115	8	9	61	28	154	
15. Muswellbrook	3,616	22	129	58	73	56	29	29	71	
16. Scone	3,793	22	153	46	75	78	5	4	27	19	107	
17. Murrurundi	4,143	42	236	78	107	129	2	5	49	29	158	
Total	72,614	538	3,140	989	1,629	1,511	49	47	565	424	2,151	
II.—NORTH MIDLAND.												
1. Tenterfield	2,349	28	134	37	63	71	1	2	18	19	97	
2. Wellingrove	{ 2,648	{ 24	124	47	65	59	3	2	29	18	77	
Vegetable Creek												
3. Inverell	2,366	38	240	62	123	117	6	4	32	30	178	
4. Armidale	9,706	86	489	152	253	236	10	6	86	66	337	
Total	17,069	181	1,060	310	551	509	20	14	173	137	750	

B—continued.

District.	Population, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
III.—NORTH-WESTERN.												
1. Tamworth	6,806	{ 58	330	113	168	162	3	6	78	35	217	
Gunnedah		{ 25	128	60	73	55	4	...	38	22	68	
2. Nundle	2,068	4	61	9	33	28	4	5	52	
3. Warialda	3,656	18	191	58	107	84	2	3	38	20	133	
4. Cassilis	2,838	15	106	25	52	54	...	2	17	8	81	
5. Dubbo	4,289	62	270	110	135	135	1	1	80	30	160	
6. Coonabarabran	2,219	{ 24	156	50	69	87	1	8	32	18	106	
*Coonamble		{ 3	21	13	12	9	1	...	10	3	8	
7. Molong	3,167	24	215	77	110	105	2	1	50	27	138	
8. Forbes	6,709	{ 29	174	94	97	77	8	3	62	32	80	
Parkes		{ 18	119	40	66	53	6	2	20	20	79	
9. Walgett	1,445	6	56	36	30	26	1	2	30	6	20	
10. Narrabri	1,699	27	93	39	49	44	1	4	32	7	54	
TOTAL	34,896	313	1,920	724	1,001	919	30	32	491	233	1,196	
IV.—METROPOLITAN.												
1. City of Sydney	76,159	1,343	3,399	2,000	1,732	1,667	161	144	1,094	906	1,399	
2. Balmain	6,886	102	444	153	225	219	3	1	81	72	291	
3. Glebe	5,721	43	310	144	152	158	1	8	66	78	166	
4. Newtown	7,922	92	478	205	227	246	7	9	95	110	268	
5. Redfern	8,092	23	465	180	260	205	8	6	98	82	285	
6. Waterloo	6,306	67	358	164	195	163	5	4	86	78	194	
7. Paddington	11,411	{ 100	425	155	211	214	3	9	81	74	270	
Randwick		{ 4	28	13	10	18	2	...	4	9	15	
Waverley		{ 22	49	25	27	22	1	...	12	13	24	
8. Concord	3,520	34	187	103	89	98	1	3	56	47	84	
9. St. George	5,340	21	257	101	129	128	3	3	60	41	156	
10. St. Leonards	5,126	{ 44	234	76	129	105	34	42	158	
† Manly		{ 4	16	2	8	8	2	...	14	
TOTAL	136,483	1,899	6,645	3,321	3,394	3,251	195	187	1,769	1,552	3,324	
V.—EAST MIDLAND.												
1. Newcastle	18,667	{ 174	730	327	391	339	14	4	209	118	403	
Lambton		{ 28	280	114	133	147	3	2	65	49	166	
Wallsend		{ 43	272	115	147	125	3	4	62	53	157	
2. Wollombi	1,952	7	85	17	41	44	...	1	10	7	68	
3. McDonald River	625	3	31	7	18	13	...	1	6	1	24	
4. Brisbane Water	2,607	14	110	28	63	47	1	5	15	13	82	
5. Windsor	4,963	30	199	67	104	95	6	2	43	24	132	
6. Richmond	3,083	16	132	37	73	59	6	6	18	19	95	
7. Penrith	5,321	25	167	66	90	77	3	3	35	31	101	
‡8. Parramatta	11,551	55	358	304	191	167	11	8	234	70	54	
§9. Ryde	2,886	18	118	77	60	58	5	4	52	25	41	
10. Liverpool	3,493	14	88	213	42	46	1	1	200	13	
11. Campbelltown	1,870	14	59	33	30	29	3	4	21	12	26	
12. Camden	4,032	18	114	31	63	51	3	1	12	19	83	
13. Picton	2,208	8	71	21	40	31	4	1	14	7	50	
TOTAL	63,258	467	2,814	1,457	1,486	1,328	63	47	996	461	1,482	
VI.—WEST MIDLAND.												
1. Carcoar	6,411	43	304	117	165	139	7	8	84	33	187	
2. Cowra	1,391	14	102	36	48	54	1	1	20	16	66	
3. Hartley	5,165	22	191	56	94	97	...	1	23	33	135	
4. Bathurst	16,860	143	664	306	347	317	15	24	178	128	358	
5. Sofala	2,821	8	70	29	37	33	1	4	19	10	41	
6. Orange	7,586	98	417	183	219	198	6	8	92	91	234	
7. Wellington	3,354	35	158	56	77	81	5	3	37	19	102	
8. Tambaroora	3,265	{ 1	14	2	6	8	2	12	
Hill End		{ 25	133	43	76	57	1	2	25	18	90	
9. Mudgee	11,901	{ 57	360	116	181	179	4	10	68	48	244	
Gulgong		{ 40	191	58	97	94	15	10	36	22	133	
10. Rylstone	2,133	23	118	28	68	50	2	1	17	11	90	
TOTAL	60,887	509	2,722	1,030	1,415	1,307	57	72	599	431	1,692	
VII.—SOUTH-EASTERN.												
1. Wollongong	5,699	42	241	56	112	129	5	3	29	27	185	
2. Kiama	5,750	40	175	50	80	95	1	1	28	22	125	
3. Berrima	4,529	{ 28	140	52	73	67	3	1	24	28	88	
Burrawang		{ 5	56	10	33	23	5	5	46	
4. Shoalhaven	4,724	35	200	48	104	96	5	...	30	18	152	
5. Ulladulla	1,652	13	64	19	27	37	...	1	10	9	45	
6. Broulee	3,739	20	124	37	65	59	1	5	19	18	87	
7. Eden	1,212	7	58	10	32	26	1	1	4	6	48	
8. Bega	2,651	27	179	35	98	81	5	1	22	13	144	
TOTAL	29,956	217	1,237	317	624	613	21	13	171	146	920	

*This District was created a Sub. of Coonabarabran on the 27th August, 1877.

July, 1877. || The Government Lunatic Asylum and Hospital is situated in this district.

|| The Government Benevolent Asylum is situated in this district.

†This District was created a Sub. of St. Leonards on the 1st

§ The Hospital for the Insane is situated in this district.

B—continued.

District.	Population, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
VIII.—SOUTH MIDLAND.												
1. Braidwood	11,422	36	238	97	124	114	6	1	57	40	141	
2. Cooma	4,383	60	212	64	112	100	6	1	37	27	148	
3. Bombala	2,854	37	156	41	75	81	1	2	28	13	115	
4. Goulburn	13,756	105	508	204	244	264	11	9	116	88	304	
5. Albury	9,190	77	494	158	233	261	5	8	107	51	336	
6. Gundagai	4,699	{ 51	239	98	128	111	4	4	60	38	141	
Adelong			115	35	55	60	3	4	20	15	80	
7. Tumut	3,321	23	126	44	73	53	3	2	24	20	82	
8. Yass	6,600	{ 55	235	101	110	125	...	4	66	35	134	
* Gunning			4	36	7	15	1	...	3	4	29	
9. Queanbeyan	4,675	33	209	67	114	95	2	2	33	34	142	
10. Burrowa	3,865	{ 34	178	75	85	93	1	2	43	32	103	
Grenfell			24	127	34	65	62	6	...	18	16	93
11. Young	5,924	{ 56	251	104	132	119	8	9	75	29	147	
Murrumburrah			3	90	39	45	1	2	24	15	51	
TOTAL	70,689	613	3,214	1,168	1,610	1,604	58	50	711	457	2,046	
IX.—SOUTH-WESTERN.												
1. Deniliquin	2,714	43	183	100	94	89	2	2	58	42	83	
2. Moama	901	4	72	21	38	34	2	...	16	5	51	
3. Moulamein	557	2	11	4	6	5	2	2	7	
4. Balranald	591	15	35	23	22	13	20	3	12	
5. Bourke	1,508	34	100	90	55	45	1	3	72	18	10	
6. Hay	3,455	53	219	142	105	114	6	7	108	34	77	
7. Wentworth	1,200	16	57	29	31	26	2	1	22	7	28	
8. Menindie	1,210	19	62	48	35	27	40	8	14	
9. Wagga Wagga	5,993	71	349	106	185	164	4	4	74	32	243	
TOTAL	18,129	257	1,088	563	571	517	17	17	412	151	525	
GRAND TOTAL FOR NEW SOUTH WALES												
	503,981	4,994	23,851	9,869	12,292	11,559	510	479	5,877	3,992	14,107	

The Deaths in the District of Liverpool exceed the Births by 125, which will reduce the total excess of Births over Deaths to 13,982.

* This District was created a *Sub.* of Yass on the 1st September, 1877.

6

MARRIAGES—1877.

Denomination.	Sydney.			Suburban Districts.			Country Districts.			Total.						
	Marriages.	Marks.			Marriages.	Marks.			Marriages.	Marks.			Marriages.	Marks.		
		M.	F.	Total.		M.	F.	Total.		M.	F.	Total.		M.	F.	Total.
Church of England ...	507	17	34	51	157	7	5	12	1,205	131	152	283	1,869	155	191	346
Roman Catholic	237	22	41	63	85	9	16	25	668	104	103	207	990	135	160	295
Presbyterian	337	24	46	70	111	5	5	10	406	25	37	62	854	54	88	142
Wesleyan	48	3	4	7	68	2	3	5	393	16	24	40	509	21	31	52
Primitive Methodist...	10	12	...	1	1	88	5	5	10	110	5	6	11
Congregationalist ...	99	6	13	19	79	1	1	2	65	...	3	3	243	7	17	24
Baptist	33	1	4	5	7	30	3	...	3	70	4	4	8
Hebrew	18	1	...	1	1	1	20	1	...	1
German Evangelical...	6	1	13	1	1	2	20	1	1	2
Christians	1	2	3
Protestant Episcopal...	3	1	1	2	3	1	1	2
Registrars' Offices ...	47	3	4	7	33	5	5	10	223	30	45	75	303	38	54	92
	1,343	77	146	223	556	29	36	65	3,095	316	371	687	4,994	422	553	975

D 1.

DEATHS from all causes of MALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1877.

CAUSES OF DEATH.																				Total.		
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CLASS I.—ORDER 1.																						
1. Small-pox	
1a. Chicken-pox	1	1	
2. Measles	1	2	
3. Scarlatina	2	5	9	9	2	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	39	
3a. Diphtheria	10	12	9	10	8	27	5	2	2	1	1	1	1	1	1	1	1	1	1	1	85	
4. Quinsy	3	1	4	
5. Croup	22	23	24	22	13	21	125	
6. Whooping-cough	8	4	1	13	
7. Typhoid (and Infantile Fever).	9	12	6	4	5	14	14	25	20	19	19	9	9	5	2	5	4	1	2	2	186	
8. Erysipelas	11	1	3	1	2	1	19	
9. Metria	
10. Carbuncle	1	1	
11. Influenza	11	1	...	2	1	1	1	1	1	2	2	2	2	2	2	3	3	2	25	
12. Dysentery	35	16	4	1	1	2	1	1	1	1	1	3	3	7	5	4	4	4	4	5	2	105
13. Diarrhoea	184	59	6	2	1	1	...	1	...	1	2	3	4	8	5	6	10	9	9	14	325	
14. Cholera	22	4	1	2	...	2	1	2	...	4	1	1	2	42	
15. Ague	1	1	1	1	4	
16. Remittent Fever	3	...	1	...	1	1	...	1	6	
17. Rheumatism	1	4	1	2	1	2	2	3	2	3	5	1	1	4	1	2	...	35	
18. Pyæmia	1	1	...	1	1	4	
	320	140	59	53	30	82	24	33	23	26	31	22	19	27	21	19	22	21	19	26	4	1021
ORDER 2.																						
1. Syphilis	6	2	1	1	1	1	1	1	...	11	
2. Stricture of the Urethra	1	2	1	2	1	1	...	8	
3. Hydrophobia	
4. Glanders	
	6	2	1	1	3	1	3	1	1	...	19	
ORDER 3.																						
1. Privation	1	...	1	1	1	3	...	3	5	2	4	3	1	1	6	32
2. Want of Breast Milk	49	3	1	2	2	52	
3. Purpura and Scurvy	1	1	1	1	1	1	1	1	1	1	11	
4. Alcoholism—	
a. Del. Tremens	1	...	2	5	3	1	2	1	1	14	
b. Intemperance	1	3	9	13	9	9	10	8	6	4	1	1	73	
	50	4	1	1	...	2	4	12	21	14	15	17	10	11	8	3	2	7	182
ORDER 4.																						
1. Thrush	17	1	...	1	1	17	
2. Worms, &c.	1	...	1	...	1	1	1	1	1	1	4	
2a. Hydatid	2	...	1	...	1	1	1	1	1	7	
	17	1	...	1	...	1	2	1	1	...	1	1	1	1	1	28	
Total Class I.....	393	147	59	54	30	84	26	34	25	32	44	44	33	44	42	30	37	30	23	28	11	1250
CLASS II.—ORDER 1.																						
1. Gout	2	2	2	1	1	1	1	1	1	1	1	1	3	6	
2. Dropsey	3	3	2	2	2	1	1	1	1	3	5	7	11	4	9	7	9	9	80	
3. Cancer	1	1	...	5	4	6	6	14	15	17	12	8	14	102	
3a. Tumour	1	1	1	...	3	3	2	...	2	5	20	
3b. Polypus	1	
4. Noma	1	
5. Mortification	1	1	...	1	3	...	2	5	...	13	
	4	3	1	...	2	3	2	2	3	1	9	11	14	14	27	25	30	24	19	28	...	222
ORDER 2.																						
1. Serofula	6	...	1	...	3	1	3	2	1	2	19	
2. Tabes Mesenterica	49	33	5	1	4	...	1	93	
3. Phthisis	6	3	...	1	1	2	1	17	38	51	42	47	41	38	28	19	11	4	4	3	2	359
3a. Haemoptysis	3	2	1	2	9	
4. Hydrocephalus	18	4	1	1	1	1	25	
5. Abscess	2	
	79	40	7	3	6	5	4	20	40	51	42	51	43	39	30	20	13	5	4	3	2	507
Total Class II	83	43	8	3	8	8	6	22	43	52	51	62	57	53	57	45	43	29	23	31	2	729

D 1—*continued.*

		CAUSES OF DEATH.																																						
		Under 1 year.		1 to 2 years.		2 to 3 years.		3 to 4 years.		4 to 5 years.		5 to 10 years.		10 to 15 years.		15 to 20 years.		20 to 25 years.		25 to 30 years.		30 to 35 years.		35 to 40 years.		40 to 45 years.		45 to 50 years.		50 to 60 years.		60 to 65 years.		65 to 70 years.		70 to 75 years.		75 years and upwards.		Ages not specified.
CLASS III.—ORDER 1.																																								
1. Cephalitis.....	28	21	7	3	2	8	1	5	1	1	1	1	1	1	1	2	1	2	1	2	1	2	1	2	1	2	1	2	91											
2. Apoplexy	1	1	1	1	1	1	1	1	1	1	8	6	9	12	13	12	13	9	2	1	2	103													
3. Paralysis	1	1	1	1	1	1	1	1	1	1	10	8	13	12	13	12	13	112																	
4. Insanity	2	2	2	2	2	2	2	2	2	2	4	3	3	3	3	3	3	3	3	3	3	3	47												
5. Chorea	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3												
6. Epilepsy	2	...	1	1	1	4	3	1	2	1	4	3	1	2	1	2	3	2	4	2	1	2	1	1	1	1	35													
7. Convulsions	204	33	13	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	255													
8. Brain Disease, &c.	8	2	1	1	2	4	1	6	2	4	2	5	8	5	11	9	8	6	3	3	86																			
	242	56	21	6	6	16	10	8	11	16	27	21	33	40	36	46	40	36	27	30	4	732																		
ORDER 2.																																								
1. Pericarditis	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7													
2. Aneurism	5	10	5	8	11	23	25	28	20	23	31	22	18	25	1	1	35														
3. Heart Disease, &c.	4	...	1	1	3	5	10	6	11	14	24	34	31	25	28	36	24	21	26	1	306																			
	4	...	2	1	3	5	10	6	11	14	24	34	31	25	28	36	24	21	26	1	306																			
ORDER 3.																																								
1. Laryngitis	1	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13														
2. Bronchitis	87	33	17	5	4	8	1	1	1	3	2	2	1	4	7	10	12	16	9	20	1	1	243																	
3. Pleurisy	2	1	1	1	1	1	2	1	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	24														
4. Pneumonia	47	16	8	4	1	9	2	7	5	15	5	9	19	23	20	11	14	15	9	7	1	1	1	1	247															
4a Congestion of the Lungs—Pulmonary.	27	10	3	4	...	1	...	3	1	2	2	2	1	1	1	1	1	1	4	3	...	66																		
5. Asthma	1	...	1	2	1	1	1	2	4	4	5	1	2	1	2	1	2	1	2	24															
6. Lung Disease, &c.	1	2	...	2	2	2	4	2	3	...	4	2	3	5	2	1	35																			
	164	61	30	18	8	20	4	11	11	25	17	18	29	32	37	31	35	39	27	32	3	652																		
ORDER 4.																																								
1. Gastritis	23	10	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	47													
2. Enteritis	46	11	4	3	2	7	3	4	2	1	3	6	3	8	4	4	2	1	1	1	1	1	1	1	1	116														
3. Peritonitis	5	...	1	1	1	1	1	2	3	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	26														
4. Ascites	1	1	1	1	1	1	1	1	1	1	1	1	1	4													
5. Ulceration of Intestines	1	1	1	3	1	1	3	1	1	2	1	1	1	1	1	1	13													
6. Hernia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9													
7. Ileus	9	3	2	1	1	1	1	2	2	1	2	2	1	1	1	19													
8. Intussusception	3	...	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	7														
9. Stricture of Intestines	1	1	1	2	1	1	1	1	1	1	1	6														
10. Fistula	2	2	1	1	3	4	2	1	2	1	19															
11. Stomach Disease, &c.	4	2	2	1	1	1	1	1	1	1	1	1	1														
12. Pancreas Disease, &c.	3	2	1	1	1	1	1	1	1	1	1	1	1	44														
13. Hepatitis	2	1	1	1	1	1	1	1	2	3	2	6	3	5	6	2	1	5	4	1	1	1	1	1	17															
14. Jaundice	5	1	1	1	2	2	4	6	3	5	9	11	5	4	3	3	3	2	1	1	1	62															
15. Liver Disease, &c.	3	...	1	1	1	2	2	4	6	3	5	9	11	5	4	3	3	3	2	1	1	1	2															
16. Spleen Disease, &c.	1	1	1	1	1	1	1	1	1	131															
	99	24	9	8	4	13	6	6	9	8	17	27	17	24	24	26	19	24	14	13	...	391																		
ORDER 5.																																								
1. Nephritis	1	6	1	1	3	3	2	...	1	2	20															
2. Ischuria	1	1	1	1	1	1	1	2	5	4	6	6	3	2	7	3	3	1	1	1	1	1	1	2															
3. Nephria	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	43															
4. Diabetes	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5															
5. Stone	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7															
6. Cystitis	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22															
7. Kidney Disease, &c.	1	8	...	1	1	1	1	2	2	3	8	7	14	8	10	10	17	16	10	12	...	131																	
	1	8	...	1	1	1	1	1	2	2	3	8	7	14	8	10	10	17	16	10	12	...	131																	
ORDER 7.																																								
1. Arthritis	2	1	2	5															
1a Ostitis, Periostitis, &c.	1	1															
2. Joint Disease, &c.	2	1	1	2	6															
	2	1	1	2	6															
ORDER 8.																																								
1. Phlegmon	1	1	2	1															
2. Ulcer	1	1	2	4															
3. Skin Disease, &c.	3	1	1	2	4															
	3	1	1	2	9															
Total Class III	513	149	62	33	20	55	26	37	39	63	83	97	127	136	133	142	151	139	100	114	8	2227																		

D 1—*continued.*

D 2.

DEATHS from all causes, of FEMALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1877.

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER I.																						
1. Small-pox.....	1	...	3	4	
1a. Chicken-pox.....	1	1	
2. Measles.....	
3. Scarlatina.....	1	9	1	11	3	17	8	2	1	55	
3a. Diphtheria.....	9	18	16	12	14	31	14	3	...	1	...	1	120	
4. Quinsy.....	1	...	1	1	1	2	1	7	
5. Croup.....	10	23	18	11	11	21	1	95	
6. Whooping-cough.....	11	2	2	1	2	18	
7. Typhoid (and Infantile Fever).	13	10	6	4	5	27	20	24	32	12	8	7	7	5	1	1	4	1	2	...	189	
8. Erysipelas.....	5	1	2	3	...	2	2	3	1	1	21
9. Metria.....	3	5	...	5	...	1	14	
10. Carbuncle.....	
11. Influenza.....	4	3	1	1	...	1	...	1	1	1	12	
12. Dysentery.....	22	13	3	1	...	2	1	...	1	...	1	1	1	...	1	...	5	2	1	2	57	
13. Diarrhoea.....	152	54	11	1	2	3	1	2	1	...	4	5	1	7	4	3	10	261	
14. Cholera.....	23	4	1	...	1	1	1	1	...	1	1	1	1	1	1	1	1	1	36	
15. Ague.....	2	...	2	1	1	2	
16. Remittent Fever.....	2	4	3	2	...	2	1	...	1	...	1	1	1	1	1	16	
17. Rheumatism.....	2	1	4	1	1	2	2	1	1	1	1	1	1	3	1	2	1	23	
18. Pyæmia.....	2	1	...	1	1	1	1	1	1	1	1	1	1	1	1	7	
	256	141	63	43	41	109	51	39	39	23	19	18	9	13	10	6	19	9	13	16	1	938
ORDER 2.																						
1. Syphilis.....	2	1	1	1	1	1	7	
2. Stricture of the Urethra.....	
3. Hydrophobia.....	
4. Glanders.....	
	2	1	1	1	1	1	7	
ORDER 3.																						
1. Privation.....	
2. Want of Breast Milk.....	43	4	1	47	
3. Purpura and Scurvy.....	...	1	2	
4. Alcoholism—	
a. Del. Tremens.....	1	...	1	1	
b. Intemperance.....	1	4	2	2	3	...	3	1	3	1	1	1	21	
	43	5	1	...	1	4	3	2	3	...	3	1	3	1	1	1	71	
ORDER 4.																						
1. Thrush.....	22	1	23	
2. Worms, &c.	1	...	1	...	1	1	...	1	...	1	...	1	...	1	2	
2a. Hydadid.....	1	1	1	5	
	22	2	...	1	...	1	1	...	1	...	1	...	1	...	1	30	
Total Class I. ...	323	149	64	44	41	110	53	39	42	28	23	20	12	14	14	7	22	10	14	16	1	1,046
CLASS II.—ORDER 1.																						
1. Gout.....	3	2	...	2	2	3	1	1	6	8	6	4	3	6	4	
2. Dropsy.....	4	2	1	1	1	1	3	6	7	7	4	15	6	5	1	8	61	
3. Cancer.....	1	1	1	...	2	1	1	3	...	2	2	1	...	1	16		
3a. Tumour.....	
3b. Polypus.....	
4. Noma.....	
5. Mortification.....	...	1	...	1	1	1	...	1	5	
	4	3	...	1	...	5	3	2	2	4	8	10	15	18	10	22	12	10	7	15	...	151
ORDER 2.																						
1. Scrofula.....	6	1	1	2	1	1	1	1	14	
2. Tabes Mesenterica.....	48	25	7	2	2	...	1	3	16	18	40	27	36	22	14	17	13	4	4	2	...	84
3. Phthisis.....	4	2	2	1	1	1	...	1	1	1	226
3a. Hæmoptysis.....	3	
4. Hydrocephalus.....	7	6	3	1	2	1	1	20	
5. Abscess.....	1	2	
	65	34	13	3	5	2	5	18	18	40	29	36	23	14	17	14	5	5	2	1	349	
Total Class II. ...	69	37	13	4	5	7	8	20	20	44	37	46	38	32	27	36	17	15	9	15	1	500

D 2—*continued.*

CAUSES OF DEATH.	Under 1 year.																		Total.		
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CLASS III.—ORDER 1.																					
1. Cephalitis.....	36	16	2	...	2	6	2	2	2	71	
2. Apoplexy.....	...	2	68	
3. Paralysis.....	64	
4. Insanity.....	11	
5. Chorea.....	1	1	1	...	1	3	1	1	1	1	1	1	1	2	
6. Epilepsy.....	...	1	1	...	1	2	3	2	3	1	2	1	2	1	1	1	1	1	1	22	
7. Convulsions.....	198	38	8	1	1	1	247	
8. Brain Disease, &c.	4	1	2	1	1	2	2	1	2	2	3	2	3	2	28		
	238	58	11	1	3	8	7	9	5	15	13	13	15	15	15	19	24	16	13	15	513
ORDER 2.																					
1. Pericarditis.....	1	...	1	3	...	5	
2. Aneurism.....	1	2	1	1	1	1	...	6	
3. Heart Disease, &c.	2	1	1	...	3	6	8	11	4	4	8	10	12	18	16	15	16	12	7	161	
	2	1	1	...	3	6	9	11	4	4	8	13	13	19	17	15	16	12	10	8	172
ORDER 3.																					
1. Laryngitis.....	3	2	1	3	...	3	1	1	3	4	3	1	6	10	6	2	16	
2. Bronchitis.....	57	30	11	6	4	9	2	1	...	1	3	4	3	1	6	10	6	8	11	180	
3. Pleurisy.....	1	...	3	...	2	3	1	2	12		
4. Pneumonia.....	45	12	7	4	2	3	5	6	4	8	8	6	3	7	5	4	3	9	3	151	
4a. Congestion of the Lungs—Pulmonary....	14	5	...	4	2	2	1	1	2	1	1	1	2	3	1	1	1	41	
5. Asthma.....	1	2	1	1	1	...	1	2	1	1	1	3	1	6		
6. Lung Disease, &c.	2	...	2	15		
	120	51	19	13	10	18	12	8	7	11	15	17	8	11	15	20	15	22	14	15	421
ORDER 4.																					
1. Gastritis.....	17	11	1	2	2	...	1	1	...	1	1	1	...	1	...	1	2	1	1	42	
2. Enteritis.....	38	13	1	3	1	5	2	10	...	6	5	2	3	3	5	2	3	1	1	107	
3. Peritonitis.....	...	2	2	1	3	2	3	3	2	...	1	2	3	...	25		
4. Ascites.....	1	1	...	1	1	1	1	...	1	1	...	7		
5. Ulceration of Intestines.....	...	1	1	1	1	1	1	...	1	2	...	8		
6. Hernia.....	2	...	2	...	1	1	...	3		
7. Ileus.....	1	1	1	...	1	...	1	2	...	2	3	3	2	17		
8. Infussusception.....	2	1	...	1	...	1	4		
9. Stricture of Intestines.....	1	1	...	2		
10. Fistula.....		
11. Stomach Disease, &c.	4	1	1	3	1	1	1	1	12	
12. Pancreas Disease, &c.	1	1		
13. Hepatitis.....	1	3	3	3	4	2	6	3	5	1	1	32	
14. Jaundice.....	6	1	1	...	1	1	1	1	1	1	1	2	15		
15. Liver Disease, &c.	1	1	1	...	2	1	3	6	11	7	6	2	4	2	2	2	51		
16. Spleen Disease, &c.		
	71	30	2	5	3	7	8	14	7	11	17	16	23	19	18	19	18	21	10	7	326
ORDER 5.																					
1. Nephritis.....	...	2	2	...	1	...	1	3	2	11	
2. Ischuria.....	1	1		
3. Nephria.....	...	1	1	2	1	3	2	3	3	...	1	5	1	1	24		
4. Diabetes.....	1	1	2		
5. Stone.....	1	1	...	6		
6. Cystitis.....	1	...	1	1	...	1	1	2	1	1	1	1	1	1	1	12		
7. Kidney Disease, &c.	1	...	1	1	1		
	2	4	...	1	1	3	3	5	5	5	7	6	5	5	2	2	58		
ORDER 6.																					
1. Ovarian Dropsy.....	1	2	...	1	1	1	...	1	1	...	4	
2. Uterus Disease, &c.	1	2	1	1	1	1	1	1	...	4	
	1	2	1	1	1	1	...	1	1	...	8		
ORDER 7.																					
1. Arthritis.....	1	1	
1a. Ostitis, Periostitis, &c.	1	1	1	
2. Joint Disease, &c.	1	1	1	3	
	3	1	1	5	
ORDER 8.																					
1. Phlegmon.....	1	1	2	
2. Ulcer.....	1	1	1	1	1	1	4	
3. Skin Disease, &c.	1	1	1	1	
	1	1	1	1	1	2	...	7	
Total, Class III.	433	144	33	20	19	39	39	44	26	45	61	65	65	73	72	80	79	75	51	47	1510

D 2—*continued.*

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	93	93		
2. Cyanosis	6	6		
3. Spina Bifida.....	2	2		
4. Other Malformations.....	9	9		
5. Teething	92	70	162		
	202	70	272		
ORDER 2.																						
1. Paramenia	3		
2. Childbirth (See Metria)	99		
	102		
ORDER 3.																						
1. Old Age	151		
ORDER 4.																						
1. Atrophy and Debility...	211	23	2	1	237		
Total, Class IV.....	413	93	2	1	8	18	18	25	18	13	2	762		
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions.....	1	...	2	1	1	7	2	1	...	1	...	1	1	1	1	...	2	2	1	2	27	
2. Wounds { a Gunshot...	3	1	1	1	1	4	
3. Burns and Scalds	1	3	5	6	4	7	4	2	4	...	4	1	1	1	1	1	1	1	1	1	47	
3a. Sunstroke	1	...	1	1	1	2	...	2	1	1	1	2	1	1	1	9		
4. Poison	1	2	...	1	1	2	...	1	1	1	1	1	1	1	1	1	9		
4a. Bite of Snake or Insect		
5. Drowning.....	5	6	1	2	5	1	2	...	1	1	1	1	1	1	2	1	1	29		
6. Suffocation	6	1	1	1	1	1	1	8		
7. Otherwise.....		
	13	11	14	9	6	16	11	5	7	5	6	4	3	4	2	3	4	2	3	1	133	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds		
2. Sword and Bayonet Wounds		
3. Otherwise		
ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	3	2	1	6		
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	1	1	1		
2. Cut, Stab, &c.	1	...	1	1	1	1	1	1	1	1	2		
2. Poison	1	...	1	1	1	1	1	1	1	1	2		
3. Drowning.....	1	...	1	1	1	1	1	1	1	1	2		
4. Hanging	1	...	1	1	2	1	1	1	1	1	2		
5. Otherwise.....	1	...	1	1	2	1	1	1	1	1	2		
	1	...	1	1	2	1	1	1	1	1	7		
ORDER 5.—EXECUTION.																						
1. Hanging		
Violent Deaths (not classed), Found drowned, &c.	1	...	1	1		
Total, Class V	16	11	14	9	6	16	13	5	8	5	7	5	6	4	4	3	5	2	3	4	1	147
Sudden Deaths (cause unascertained)
Causes not specified or ill-defined	1	3	1	2	1	...	1	3	3	2	1	9	27	
GRAND TOTALS	1254	434	126	78	72	175	114	118	115	140	153	155	137	128	119	127	139	124	105	167	12	3992

D 3.

DEATHS from all Causes, of BOTH SEXES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1878.

CAUSES OF DEATH.																				Total.		
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CLASS I.—ORDER 1.																						
1. Small-pox																						4
1a. Chicken-pox	1	1																				2
2. Measles	1																					2
3. Searlatina	3	14	10	20	5	24	10	3	1	1	2	1										94
3a. Diphtheria	19	30	25	22	22	58	19	5	1	1	1	1										205
4. Quinsy	1	3	1	1	1	3		1														11
5. Croup	32	46	42	33	24	42	1															220
6. Whooping-cough	19	6	2	1	2	1																31
7. Typhoid (and Infantile Fever).	22	22	12	8	10	41	34	49	52	31	27	16	16	10	3	6	8	2	2	2	375	
8. Erysipelas	16						1	2	3												40	
9. Metria									3		2	2									14	
10. Carbuncle																					1	
11. Influenza	15	4	1	2			1	1	1												37	
12. Dysentery	57	29	7	2	1	4	2	1	2	2	3	2	4	7	6	4	9	6	5	7	162	
13. Diarrhoea	336	113	17	3	3	4		1		2	4	4	4	12	10	7	17	13	12	24	586	
14. Cholera	45	8	2	2	1	3				1	3			5	2	1	2	1	1		78	
15. Ague						1					1	2									6	
16. Remittent Fever	5	4	3	1		3		2			1			1		1	1	1			22	
17. Rheumatism	1				2	5	5	3	2	4	4	4	3	3	6	4	1	5	3	3	58	
18. Pyæmia	3	1		1					1		2			1							11	
	576	281	122	96	71	191	75	72	62	49	50	40	28	40	31	25	41	30	32	42	5	1959
ORDER 2.																						
1. Syphilis	8	3	1							1	1	1										18
2. Stricture of the Urethra														1	2	1	2	1	1		8	
3. Hydrophobia																						
4. Glanders																						
	8	3	1							1	1	1				1	4	1	3	1	1	26
ORDER 3.																						
1. Privation																						
2. Want of Breast Milk	92	7								1	1	1	3		3	5	2	4	3	1	1	32
3. Purpura and Scurvy	1	2											2	2			1	1	1	1		99
4. Alcoholism—																						
a. Del. Tremens																						
b. Intemperance																						
	93	9								1	2		3	8	15	23	17	15	20	11	14	9
																					253	
ORDER 4.																						
1. Thrush	39	1								1	1	1	3		3	5	2	4	3	1	1	6
2. Worms, &c.		2		2		1																40
2a. Hydatid					1	2			1	2	1	1		2	1		1					6
	39	3		2		2			1	2	2	1		2	1		1					58
Total Class I.....	716	296	123	98	71	194	79	73	67	60	67	64	45	58	56	37	59	40	37	44	12	2296
CLASS II.—ORDER 1.																						
1. Gout																						10
2. Dropsy	7	5				2	5	4	1	3	3	4	5	11	15	17	8	12	10	15	14	141
3. Cancer						1		1	1	1	8	10	13	13	18	30	23	17	9	22		167
3a. Tumour	1					2	1	1	1		5	4	3	3	2	7	2	3		1		36
3b. Polypus																						1
4. Noma																						1
5. Mortification		1	1	1						1				1		2	3	1	2	5		18
	8	6	1	1	2	8	5	4	5	5	17	21	29	32	37	47	42	34	26	43		373
ORDER 2.																						
1. Scrofula	12	1	2			3	3	4	2				1				1	3	1			33
2. Tabes Mesenterica	97	58	12	3	6	1																177
3. Phthisis	10	5	2	1	1	3	4	33	56	91	69	83	63	52	45	32	15	8	6	3	3	585
3a. Hæmoptysis								1			1	3	2	1	2	1		1				12
4. Hydrocephalus	25	10	4	2	3	1																45
5. Abscess						1		1				1	1									4
	144	74	20	6	11	7	9	38	58	91	71	87	66	53	47	34	18	10	6	3	3	856
Total Class II	152	80	21	7	13	15	14	42	63	96	88	108	95	85	84	81	60	44	32	46	3	1229

D 3—*continued.*

CAUSES OF DEATH.	Under 1 year.																			Ages not specified.		Total.	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.				
CLASS III.—ORDER 1.																							
1. Cephalitis.....	64	37	9	3	4	14	3	7	3	2	5	1	2	2	2	1	2	1	2	1	162		
2. Apoplexy.....	...	2	1	1	...	1	1	9	7	9	15	16	13	15	22	19	13	11	2	171	
3. Paralysis.....	176	
4. Insanity.....	1	...	6	8	5	5	3	8	5	7	3	1	6	...	58	
5. Chorea.....	3	1	5	
6. Epilepsy.....	2	1	1	1	...	5	5	4	4	4	5	5	1	4	4	3	4	3	...	1	1	57	
7. Convulsions.....	402	71	21	3	2	3	502	
8. Brain Disease, &c.	12	3	1	...	2	...	6	1	7	4	6	3	7	10	8	13	12	8	6	5	...	114	
	480	114	32	7	9	24	17	17	16	31	40	34	48	55	51	65	64	52	40	45	4	1245	
ORDER 2.																							
1. Pericarditis.....	1	2	...	1	1	...	2	1	1	...	3	12	
2. Aneurism.....	1	...	1	1	3	3	9	4	4	4	4	2	3	2	41	
3. Heart Disease, &c.	6	1	2	...	4	9	13	21	9	12	19	33	37	46	36	38	47	34	25	32	1	425	
	6	1	3	...	4	9	14	21	10	15	22	37	47	50	42	43	52	36	31	34	1	478	
ORDER 3.																							
1. Laryngitis.....	3	3	2	8	2	4	1	1	1	...	1	1	2	29	
2. Bronchitis.....	144	63	28	11	8	17	3	1	1	4	5	6	4	5	13	20	18	24	20	27	1	423	
3. Pleurisy.....	2	1	1	...	1	...	1	1	6	...	5	5	1	1	1	3	4	1	1	36	
4. Pneumonia.....	92	28	15	8	3	12	7	13	9	23	13	15	22	30	25	15	17	24	12	14	1	398	
4a. Congestion of the Lungs—Pulmonary...	41	15	3	4	4	2	3	4	2	4	3	1	2	3	6	2	4	4	...	107	
5. Asthma.....	1	...	2	1	1	2	4	5	8	2	1	2	...	1	30	
6. Lung Disease, &c.	2	2	3	1	3	2	2	5	4	4	1	6	2	3	7	2	1	...	50	
	284	112	49	31	18	38	16	19	18	36	32	35	37	43	52	51	50	61	41	47	3	1073	
ORDER 4.																							
1. Gastritis.....	40	21	5	2	3	2	1	1	...	1	1	...	1	1	...	2	1	4	2	89	
2. Enteritis.....	84	24	5	6	3	12	5	14	2	7	8	8	6	11	9	6	5	3	2	3	...	223	
3. Peritonitis.....	5	2	...	1	1	1	2	3	6	4	6	4	3	1	2	2	4	3	1	51	
4. Ascites.....	1	1	1	2	1	2	1	1	1	1	11	
5. Ulceration of Intestines	1	2	2	1	5	1	...	4	2	2	1	1	21
6. Hernia.....	1	1	...	1	2	1	2	1	2	2	12	
7. Ileus.....	10	1	1	...	1	...	1	3	2	3	2	3	2	3	5	4	36	
8. Intussusception.....	5	...	1	2	1	1	1	11	
9. Stricture of Intestines.....	1	1	2	2	2	8	
10. Fistula.....	
11. Stomach Disease, &c.	8	1	2	2	2	4	4	5	1	2	31	
12. Pancreas Disease, &c.	1	1	
13. Hepatitis.....	3	1	1	1	...	2	3	5	9	6	9	8	8	4	10	1	5	76	
14. Jaundice.....	11	2	1	1	...	1	1	2	...	1	1	2	2	5	1	1	32	
15. Liver Disease, &c.	1	1	...	3	...	1	2	...	4	3	7	12	14	12	15	13	7	8	5	5	...	113	
16. Spleen Disease, &c.	1	...	1	2	
	170	54	11	13	7	20	14	20	16	19	34	43	40	43	42	45	37	45	24	20	...	717	
ORDER 5.																							
1. Nephritis.....	1	8	1	...	2	1	4	3	1	5	2	1	2	31	
2. Ischuria.....	1	1	1	3	
3. Nephria.....	2	...	1	1	2	3	8	6	9	3	3	12	4	3	1	67	
4. Diabetes.....	1	1	2	1	1	1	1	7	
5. Stone.....	1	...	2	1	1	2	1	2	...	9	
6. Cystitis.....	1	1	1	1	1	1	1	3	2	1	3	5	4	4	...	28	
7. Kidney Disease, &c.	2	...	1	1	...	1	1	2	...	2	1	5	1	5	5	4	4	2	7	44	
	3	12	...	2	1	...	1	3	5	6	13	12	19	15	16	15	22	18	12	14	...	189	
ORDER 6.																							
1. Ovarian Dropsy.....	1	...	2	...	1	1	1	1	4	
2. Uterus Disease, &c.	1	...	2	1	1	1	4	
	1	...	2	1	1	1	1	1	8	
ORDER 7.																							
1. Arthritis.....	2	1	1	2	6
1a. Ostitis, Periostitis, &c.	1	1	1	1
2. Joint Disease, &c.	1	1	4
	2	3	1	1	2	2	11
ORDER 8.																							
1. Phlegmon.....	1	1	1	2	1	2	1	1	...	3
2. Ulcer.....	2	1	2	1	1	...	8
3. Skin Disease, &c.	3	1	5
	3	1	1	1	2	1	2	1	3	1	16
Total, Class III	946	293	95	53	39	94	65	81	65	108	144	162	192	209	205	222	230	214	151	161	8	3737	

D 3—*continued.*

CAUSES OF DEATH.																							
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV.—ORDER 1.																						219	
1. Premature Birth	219	11	
2. Cyanosis	11	8	
3. Spina Bifida	8	27	
4. Other Malformations	27	355	
5. Teething	177	178	620	
	442	178	219	
ORDER 2.																						11	
1. Paramenia	3	
2. Childbirth (See Metria)	99	
	102	
ORDER 3.																						501	
1. Old Age	501	
	544	
ORDER 4.																						933	
1. Atrophy and Debility ...	491	47	5	1	1,767	
Total, Class IV.	933	225	5	1	8	18	18	25	18	13	2	...	1	62	66	104	268	...
	
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						276	
1. Fractures & Contusions.	4	1	6	4	4	20	22	11	12	24	23	29	21	20	21	10	10	16	9	6	3	276	
2. Wounds {a Gunshot...	...	1	1	1	...	1	1	1	6	
2. Wounds {b Cuts	3	1	...	1	3	...	2	...	1	...	1	12	
3. Burns and Scalds	6	7	6	8	6	7	7	2	6	...	6	1	3	1	2	1	1	1	1	1	3	77	
3a. Sunstroke	1	2	1	1	1	2	1	2	4	5	2	1	2	3	1	1	1	1	1	1	1	32	
4. Poison	1	3	1	1	1	1	...	4	1	...	3	...	1	1	1	1	1	1	1	18	
4a. Bite of Snake or Insect	1	2	3	
5. Drowning	1	9	16	...	4	17	14	9	12	15	18	13	14	10	10	5	7	5	2	1	10	192	
6. Suffocation	13	2	1	2	2	3	1	...	1	3	1	1	1	1	1	30	
7. Otherwise	1	1	2	
	30	25	31	14	15	48	47	25	36	50	52	52	45	36	37	21	20	23	12	11	18	648	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						...	
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise	
	
ORDER 3.—HOMICIDE.																						...	
Murder and Manslaughter	7	2	...	1	2	2	1	3	...	2	1	21	
	
ORDER 4.—SUICIDE.																						...	
1. Wounds { Gunshot	4	...	1	1	1	1	1	1	1	9	
2. Wounds { Cut,Stab, &c.	1	1	2	2	1	1	1	2	1	1	1	12	
2. Poison	1	...	1	1	1	1	1	1	1	1	1	1	1	11	
3. Drowning	1	...	1	2	3	...	2	1	1	1	4	1	1	10		
4. Hanging	1	...	1	2	3	...	2	1	1	1	1	1	1	12		
5. Otherwise	1	1	2	...	1	1	1	1	1	6		
	1	2	1	8	7	8	4	8	5	4	9	2	1	60	
ORDER 5.—EXECUTION.																						1	
1. Hanging	1	1	
Violent Deaths (not classed), (Found drowned, &c.)	1	1	2	1	2	3	2	...	2	1	15	
Total, Class V.....	38	25	31	14	15	48	49	27	41	54	65	63	58	40	49	28	24	32	12	13	19	745	
Causes not specified or ill-defined.	...	1	1	...	1	3	4	2	2	3	4	6	11	12	10	6	3	2	...	24	95		
GRAND TOTALS	2,785	920	276	173	139	354	211	233	256	339	393	421	414	406	404	375	438	398	336	532	66	9,869	

E 1.

DEATHS from all causes, of MALES at different ages, registered in SYDNEY, from 1st January to 31st December, 1877.

CAUSES OF DEATH.	Under 1 year.																		Ages not specified.	Total.	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.			
CLASS I.—ORDER 1.																					
1. Small-pox	
1a. Chicken-pox	
2. Measles	
3. Scarlatina	
3a. Diphtheria	
4. Quinsy	
5. Croup	1	2	1	3	1	1	1	
6. Whooping-cough	6	3	1	..	2	3	4	2	4	1	1	2	
7. Typhoid (and Infantile Fever). .	1	3	28	
8. Erysipelas	6	7	
9. Metria	
10. Carbuncle	
11. Influenza	
12. Dysentery	2	1	8	
13. Diarrhoea	48	15	2	..	1	1	86	
14. Cholera	4	1	..	2	9	
15. Ague	1	
16. Remittent Fever	
17. Rheumatism	5	
18. Pyæmia	
	70	27	3	11	3	7	3	4	2	6	4	2	6	6	6	4	5	3	2	1	175
ORDER 2.																					
1. Syphilis	2	1	4
2. Stricture of the Urethra	3
3. Hydrophobia
4. Glanders
	2	1	7
ORDER 3.																					
1. Privation
2. Want of Breast Milk	17	1	18
3. Purpura and Scurvy	1	4
4. Alcoholism—
a. Del. Tremens	2
b. Intemperance	26
	18	1	50
ORDER 4.																					
1. Thrush	2	2
2. Worms, &c.	1
2a. Hydatid	2
	2	5
Total Class I	92	29	3	11	3	7	3	4	2	7	9	10	12	6	13	6	10	7	2	1	237
CLASS II.—ORDER 1.																					
1. Gout	1
2. Dropsy	1	27
3. Cancer	14
3a. Tumour	6
3b. Polypus
4. Noma
5. Mortification	1
	1	49
ORDER 2.																					
1. Scrofula	4
2. Tabes Mesenterica	9	4	2	1	2	18
3. Phthisis	2	94
3a. Hæmoptysis	5
4. Hydrocephalus	3	1	4
5. Abscess	2
	14	5	2	1	2	127
Total Class II	15	5	2	1	3	1	3	10	12	22	16	18	14	10	13	7	11	6	4	3	176

E 1—*continued.*

CAUSES OF DEATH.	Ages not specified.																			Total.		
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.		
CLASS III.—ORDER 1.																						
1. Cephalitis	5	8	1	1	1	2	1	1	2	3	2	1	5	4	1	3	1	20	
2. Apoplexy	1	1	1	2	3	2	1	2	3	1	29	
3. Paralysis	1	1	1	2	3	2	1	2	3	1	15	
4. Insanity	1	1	1	2	3	2	1	2	3	1	1	
5. Chorea	1	1	1	2	3	2	1	2	3	1	5	
6. Epilepsy	1	1	1	2	3	2	1	2	3	1	41	
7. Convulsions	30	7	1	1	1	2	1	4	...	1	...	2	1	1	3	2	1	1	21
8. Brain Disease, &c.	2
	37	15	2	2	1	4	1	...	4	3	4	4	4	7	7	6	10	8	8	4	1	132
ORDER 2.																						
1. Pericarditis	2	1	3
2. Aneurism	1	1	2	3	3	2	1	2	3	1	10	
3. Heart Disease, &c.	2	2	1	3	5	7	4	3	6	6	1	3	1	44
	2	2	2	6	2	5	10	4	4	7	8	1	3	57
ORDER 3.																						
1. Laryngitis	2	...	1	2	1	...	1	1	2	3	2	4	2	5	1	3	
2. Bronchitis	13	4	2	...	1	2	1	...	1	1	2	2	3	2	4	2	5	1	46
3. Pleurisy	1	1	...	1	...	1	...	1	1	2	2	1	2	1	2	1	4	
4. Pneumonia	4	3	1	...	1	...	3	2	1	5	4	8	1	2	2	1	2	1	37	
4a. Congestion of the Lungs—Pulmonary.	9	2	...	4	1	...	1	1	17	
5. Asthma	2	1	1	1	5	
6. Lung Disease, &c.	1	2	1	1	1	1	
	28	9	2	6	1	3	...	1	...	6	5	2	6	6	12	4	5	7	2	7	1	113
ORDER 4.																						
1. Gastritis	10	4	2	...	1	1	1	1	...	1	...	1	...	1	...	17
2. Enteritis	4	...	2	1	1	1	2	...	1	1	1	1	1	2	1	...	1	...	11
3. Peritonitis	1	2	...	1	1	1	1	1	2	1	...	1	...	10
4. Ascites	1	1	...	1	...	1	1
5. Ulceration of Intestines	1	1	1	...	1	...	1	3
6. Hernia	1	1	...	1	...	1	1
7. Ileus	1	1	...	1	...	1	1
8. Intussusception	1	1	1	1	...	1	...	1	1
9. Stricture of Intestines	1	1	1	...	1	...	1	1
10. Fistula	1	1	...	1	...	1	4
11. Stomach Disease, &c.	2	1	1	...	1	...	4
12. Pancreas Disease, &c.	2	...	3	1	2	1	1	2	1	1	1	12
13. Hepatitis	1	2	...	3	1	2	1	1	1	2	1	1	1	3	
14. Jaundice	1	1	1	1	1	1	2	1	2	1	2	1	1	1	1	3
15. Liver Disease &c.	1	...	1	1	1	1	2	1	2	1	2	1	1	1	10
16. Spleen Disease, &c.
	20	5	4	2	1	3	1	2	1	4	3	4	3	4	5	2	5	3	1	1	1	74
ORDER 5.																						
1. Nephritis	3	1	1	...	1	...	1	...	1	6
2. Ischuria	1	2	2	3	4	3	1	4	1	...	1	...	21
3. Nephria	1	1	...	1	...	1	...	1	...	3
4. Diabetes	1	1	...	1	...	1	...	1	...	4
5. Stone	1	1	...	1	...	1	...	1	...	1	8
6. Cystitis	1	1	...	2	1	1	1	1	...	1	...	42
ORDER 6.																						
1. Ovarian Dropsy
2. Uterus Disease, &c.

ORDER 7.																						
1. Arthritis	1	...	1	...	1	...	1
1a. Ostitis, Periostitis, &c.	1	...	1	...	1	...	1	...	1
2. Joint Disease, &c.	1	...	1	...	1	...	1	...	2
	1	...	1	...	1	...	1
ORDER 8.																						
1. Phlegmon
2. Ulcer
3. Skin Disease, &c.

Total, Class III	87	32	8	10	3	10	2	6	7	20	18	17	30	27	34	28	33	23	11	13	2	421

E 1—*continued.*

CAUSES OF DEATH.	Under 1 year.																				Total.		
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.			
CLASS IV.—ORDER 1.																							
1. Premature Birth.....	26	26		
2. Cyanosis	2	2		
3. Spina Bifida	1	1		
4. Other Malformations	5	5		
5. Teething	11	16	27		
	45	16	61		
ORDER 3.																							
1. Old Age	1	3	4	10	8	...	26
ORDER 4.																							
1. Atrophy and Debility....	62	6	1	69	
Total, Class IV.	107	22	1	1	3	4	10	8	...	156
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions	2	3	4	...	2	3	2	4	...	3	4	1	1	1	2	32	
2. Wounds { ^a Gunshot...	1	1	
^b Cuts	1	1	...	1	3	
3. Burns and Scalds	1	1	...	1	2	
3a. Sunstroke	1	
4. Poison	
4a. Bite of Snake or Insect	
5. Drowning.....	1	1	3	4	...	1	...	1	1	...	1	...	1	13	
6. Suffocation	3	1	1	5	
7. Otherwise	
	3	1	3	3	7	1	5	7	3	5	1	4	5	3	1	1	3	56	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise	
ORDER 4.—HOMICIDE. Murder & Manslaughter	2	1	3	
ORDER 4.—SUICIDE.																							
1. Wounds { ^a Gunshot	3	1	...	4	
^b Cut, Stab, &c.	1	1	...	1	
2. Poison	1	1	1	
3. Drowning.....	1	2	
4. Hanging	1	...	1	3	1	2	8	
ORDER 5.—EXECUTION.																							
1. Hanging	
Violent Deaths (not classed), Found drowned, &c.	1	1	2	1	2	3	2	...	1	1	14	
Total, Class V.	6	1	3	3	7	3	7	9	8	9	3	4	7	4	1	1	3	2	...	81	
Causes not specified or ill-defined.	...	1	1	1	1	...	2	1	3	3	...	1	9	23	
GRAND TOTALS.....	307	90	18	22	9	21	16	23	28	59	51	56	60	50	70	46	59	41	30	27	11	1094	

E 2.

DEATHS from all causes of FEMALES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1877.

CAUSES OF DEATH.														Total.								
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	
CLASS I.—ORDER 1.																						
1. Small-pox.....	4
1a. Chicken-pox	12
2. Measles.....	2
3. Scarlatina.....	8
3a. Diphtheria	3	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12
4. Quinsy.....	2
5. Croup.....	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6
6. Whooping-cough	3	1	1	1	2	1	3	1	3	1	3	1	3	1	3	1	3	1	3	1	3	6
7. Typhoid (and Infantile Fever).....	3	1	1	1	2	1	3	1	3	1	3	1	3	1	3	1	3	1	3	1	3	33
8. Erysipelas	1	4
9. Metria	2
10. Carbuncle.....	8
11. Influenza	6
12. Dysentery	4
13. Diarrhoea	39	12	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	71
14. Cholera	5	7
15. Ague.....
16. Remittent Fever.....
17. Rheumatism	7
18. Pyæmia	2	2
	57	21	7	4	4	8	4	7	8	4	4	3	4	2	4	2	6	2	6	5	...	162
ORDER 2.																						
1. Syphilis	2	5
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders
	2	5
ORDER 3.																						
1. Privation	12	1	13
2. Want of Breast Milk.....
3. Purpura and Scurvy
4. Alcoholism—
a. Del. Tremens
b. Intemperance	11
	12	1	24
ORDER 4.																						
1. Thrush	1	1
2. Worms, &c.	2
2a. Hydatid
	1	3
Total, Class I	72	22	7	4	4	8	5	7	10	8	6	5	5	2	6	2	7	2	7	5	...	194
CLASS II.—ORDER 1.																						
1. Gout.....
2. Dropsy	1	2	3
3. Cancer	20
3a. Tumour	19
3b. Polypus	3
4. Noma
5. Mortification	2
	1	2	1	...	1	3	2	1	4	4	7	2	5	4	2	3	5	...	47	
ORDER 2.																						
1. Scrofula	1	7	2	1	1	5	9	13	6	15	4	7	2	4	3	1	2	1	1	2	1	6
2. Tabes Mesenterica	13	8	3	1	2	3	7	9	13	6	15	5	7	2	4	3	1	2	1	1	4	23
3. Phthisis	72
3a. Haemoptysis	1	1	1	1
4. Hydrocephalus	1	3
	15	8	3	1	2	3	7	9	13	6	15	5	7	2	4	3	2	105	
Total, Class II	16	10	3	1	1	3	6	7	11	13	7	19	9	14	4	9	7	4	3	5	...	152

E 2—*continued.*

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS III.—ORDER 1.																								
1. Cephalitis	17	8	1	4	30	
2. Apoplexy	32	
3. Paralysis	25	
4. Insanity	1	
5. Chorea	7	
6. Epilepsy	1	1	2	1	1	1	38	
7. Convulsions	26	8	2	1	1	2	1	1	...	2	2	...	3	1	...	13	
8. Brain Disease, &c.	1	
	43	18	3	1	1	5	...	2	...	6	6	6	4	8	7	6	11	8	6	5	146	
ORDER 2.																								2
1. Pericarditis	
2. Aneurism	
3. Heart Disease, &c.	
	
	
ORDER 3.																								3
1. Laryngitis	1	1	1	1	
2. Bronchitis	8	5	2	3	2	2	2	2	3	4	2	
3. Pleurisy	
4. Pneumonia	12	2	1	2	2	
4a. Congestion of the Lungs—Pulmonary.	2	1	
5. Asthma	
6. Lung Disease, &c.	1	1	1	
	24	9	1	...	3	4	...	2	1	4	4	4	2	6	1	11	5	4	4	4	93	
ORDER 4.																								9
1. Gastritis	4	3	
2. Enteritis	3	2	1	1	2	1	1	1	9	2	
3. Peritonitis	1	1	1	1	1	1	1	1	1	1	1	
4. Ascites	1	
5. Ulceration of Intestines	
6. Hernia	
7. Ileus	1	1	
8. Intussusception	1	1	2	
9. Stricture of Intestines	1	
10. Fistula	
11. Stomach Disease, &c.	1	
12. Pancreas Disease, &c.	
13. Hepatitis	
14. Jaundice	1	...	1	1	1	1	1	1	1		
15. Liver Disease, &c.	1	1	1	3	3	2	3	1	1	1	2		
16. Spleen Disease, &c....	
	10	7	1	1	2	1	2	3	6	6	8	5	5	5	5	2	4	73	
ORDER 5.																								5
1. Nephritis	1	1	1	2	
2. Ischuria	1	1	1	1	1	1	1	1	2	
3. Nephria	
4. Diabetes	
5. Stone	
6. Cystitis	1	...	1	1	
7. Kidney Disease, &c.	2	1	1	1	2	1	3	2	2	2	
	
	
ORDER 6.																								...
1. Ovarian Dropsy	
2. Uterus Disease, &c.	
	
	
ORDER 7.																								1
1. Arthritis	1	
1a. Ostitis, Periostitis, &c.	1	
2. Joint Disease, &c.	1	
	
	
ORDER 8.																								1
1. Phlegmon	
2. Ulcer	
3. Skin Disease, &c.	
	
Total, Class III	77	36	4	1	4	10	4	9	5	15	16	20	16	29	20	27	28	24	15	14</td				

E 2—*continued.*

CAUSES OF DEATH.		Under 1 year,	1 to 2 years,	2 to 3 years,	3 to 4 years,	4 to 5 years,	5 to 10 years,	10 to 15 years,	15 to 20 years,	20 to 25 years,	25 to 30 years,	30 to 35 years,	35 to 40 years,	40 to 45 years,	45 to 50 years,	50 to 55 years,	55 to 60 years,	60 to 65 years,	65 to 70 years,	70 to 75 years,	75 years and upwards,	Ages not specified	Total,
CLASS IV.—ORDER 1.																							
1. Premature Birth.....	22	22
2. Cyanosis	4	4
3. Spina Bifida	1	1
4. Other Malformations.....	1	1
5. Teething	18	6	24
		46	6	52
ORDER 2.																							
1. Paramenia
2. Childbirth (See Metria)	18
		2	5	3	2	4	2	18
ORDER 3.																							
1. Old Age	3	3	6	18	...	30
		
ORDER 4.																							
1. Atrophy and Debility...	38	5	2	45
Total, Class IV	84	11	2	2	5	3	2	4	2	3	3	6	18	...	145
CLASS V.—ORDER 1.—																							
ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions	1	1	3	1	1	8
2. Wounds { a Gunshot
{ b Cuts
3. Burns and Scalds	1	1	1	1	3
3a. Sunstroke	1	1	2
4. Poison	1	1
4a. Bite of Snake or Insect
5. Drowning.....	...	1	1	2
6. Suffocation	2	1	3
7. Otherwise
	3	1	1	...	2	3	1	1	1	1	1	2	2	...	19
ORDER 2.—																							
VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds
2. Sword and Bayonet Wounds
3. Otherwise

ORDER 3.—HOMICIDE.																							
Murder and Manslaughter	3	1	4
ORDER 4.—SUICIDE.																							
1. Wounds—
Gunshot
Cut, Stab, &c.
2. Poison	1	...	1	2
3. Drowning.....
4. Hanging
5. Otherwise
	1	...	1	2
ORDER 5.—EXECUTION.																							
1. Hanging
Violent Deaths (not classed) — Found drowned, &c.	1	1
Total Class V	6	1	1	...	2	3	1	...	1	1	1	1	1	1	1	2	2	2	...	26	
Causes not specified or ill-defined.	1	2	2	...	1	9	15
GRAND TOTALS ...	255	80	17	6	11	24	16	25	32	40	32	50	35	48	32	41	45	33	31	41	9	906	

E 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1877.

CAUSES OF DEATH.																					
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I—ORDER 1.																				4	
1. Small-pox.....	
1a. Chicken-pox	
2. Measles	4	
3. Scarlatina	20	
3a. Diphtheria	5	3	2	4	1	4	1	3	
4. Quinsy	1	1	1	17	
5. Croup	2	7	1	3	2	2	15	
6. Whooping-cough	9	4	1	..	1	61	
7. Typhoid (and Infantile Fever).	4	4	1	3	1	5	4	7	7	6	4	3	5	1	1	1	1	1	..	11	
8. Erysipelas	7	2	
9. Metritis	
10. Carbuncle.....	
11. Influenza	
12. Dysentery	2	1	12	
13. Diarrhoea	87	27	4	..	2	1	157	
14. Cholera.....	9	1	..	2	16	
15. Ague	1	
16. Remittent Fever.....	
17. Rheumatism	12	
18. Pyæmia	2	2	
	127	48	10	15	7	15	7	11	10	10	8	5	10	8	10	6	11	5	8	6	337
ORDER 2.																				9	
1. Syphilis	4	1	3	
2. Stricture of the Urethra	
3. Hydrophobia	
4. Glanders	
	4	1	12	
ORDER 3.																				..	
1. Privation	
2. Want of Breast Milk.....	29	2	31	
3. Purpura and Scurvy	1	4	
4. Alcoholism—	
a. Del. Tremens	2	
b. Intemperance	37	
	30	2	74	
ORDER 4.																				3	
1. Thrush	3	1	
2. Worms, &c.	4	
2a. Hydatid	1	
	3	1	8	
Total Class I.....	164	51	10	15	7	15	8	11	12	15	15	15	17	8	19	8	17	9	9	6	431
CLASS II—ORDER 1.																				4	
1. Gout	47	
2. Dropsy	2	2	1	2	3	2	..	1	4	4	8	1	3	5	33	
3. Cancer	1	3	2	4	2	5	2	5	9	
3a. Tumour	2	1	1	1	1	
3b. Polypus	
4. Noma	
5. Mortification	1	2	3	
	2	2	..	1	1	2	4	..	3	..	2	7	8	9	11	9	13	7	7	96	
ORDER 2.																				10	
1. Scrofula	1	3	3	1	1	41	
2. Tabes Mesenterica	22	11	4	1	3	1	13	19	35	21	27	13	14	5	7	5	2	166	
3. Phthisis	2	..	1	1	2	1	1	6	
3a. Hæmoptysis	7	
4. Hydrocephalus	4	2	1	2	
5. Abscess	
	29	13	5	1	3	2	5	17	20	35	21	30	15	15	6	7	5	3	..	232	
Total Class II	31	15	5	2	4	4	9	17	23	35	23	37	23	24	17	16	18	10	7	328	

E 3—*continued*

E 3—*continued.*

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS IV.—ORDER 1.																						
1. Premature birth	48	48	
2. Cyanosis	6	6	
3. Spida Bifida	2	2	
4. Other Malformations	6	6	
5. Teething	29	22	51	
	91	22	113	
ORDER 2.																						
1. Paramenia	
2. Childbirth (See Metria)	2	5	3	2	4	2	18	
	2	5	3	2	4	2	18	
ORDER 3.																						
1. Old Age	1	6	7	16	26	56
ORDER 4.																						
1. Atrophy and Debility ...	100	11	3	114
Total Class IV	191	33	3	2	5	3	2	4	2	1	6	7	16	26	301
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	1	...	2	...	1	6	5	...	2	3	2	4	...	3	5	1	1	1	2	1	...	40
2. Wounds { a Gunshot
b Cuts	1	1
3. Burns and Scalds	1	...	1	...	1	2	...	1	...	2	6
3a. Sunstroke	1	4
4. Poison	1	1
4a. Bite of Snake or Insect	1	3	4	...	1	1	2
5. Drowning	5	1	2	1	3	4	...	1	1	2	15
6. Suffocation	8
7. Otherwise
	6	2	4	...	2	6	8	1	5	8	4	5	1	5	6	5	1	1	3	2	...	75
ORDER 2.																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds
3. Otherwise

ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	5	1	1	7
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	3	4
Cut, Stab, &c.	1	1	...	1	1
2. Poison	1	3
3. Drowning	1	1
4. Hanging	1	1	2
5. Otherwise	1	1	1	3	1	...	1	10

ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classed), Found drowned, &c.	1	1	2	1	2	3	2	...	2	1	15
Total Class V	12	2	4	...	2	6	8	3	8	10	9	10	4	5	9	6	1	1	3	4	...	107
Causes not specified or ill-defined.	...	1	1	1	...	1	...	3	3	5	3	1	1	38
GRAND TOTALS	562	170	35	28	20	45	32	48	60	99	83	106	95	98	102	87	104	74	61	71	20	2000

F 1.

DEATHS from all causes of MALES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1877.

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER 1.																						
1. Small-pox	1
1a. Chicken-pox	14
2. Measles	25
3. Scarlatina	1	1	3	4	5	1
3a. Diphtheria	11
4. Quinsy
5. Croup	4	4	6	..	5	3	3
6. Whooping-cough	1
7. Typhoid (and Infantile Fever).	1	1	1
8. Erysipelas	1	1
9. Metria
10. Carbuncle
11. Influenza
12. Dysentery	4	8
13. Diarrhoea	31	14	1	55
14. Cholera	5	1	9
15. Ague
16. Remittent Fever
17. Rheumatism
18. Pyæmia
	47	21	7	8	8	10	1	2	1	4	4	2	4	2	3	3	1	132
ORDER 2.																						
1. Syphilis	2	1	3
2. Stricture of the Urethra
3. Hydrocephalus
4. Glanders	1
	2	3
ORDER 3.																						
1. Privation
2. Want of Breast Milk	8	1	1	9
3. Purpura and Scurvy	2
4. Alcoholism—
a. Del. Tremens	1	3
b. Intemperance	1	6
	8	1	1	1	2	3	1	2	1	20
ORDER 4.																						
1. Thrush
2. Worms, &c.
2a. Hydatid
Total Class I	57	22	7	8	8	11	1	3	2	4	6	3	3	6	2	4	3	1	155
CLASS II.—ORDER 1.																						
1. Gout	2
2. Dropsey	1	1	9
3. Cancer	8
3a. Tumour	1
3b. Polypus	1
4. Noma
5. Mortification	1	2
	..	1	1	..	1	1	2	1	..	1	5	1	4	3	2	..	23
ORDER 2.																						
1. Scrofula	2	2
2. Tabes Mesenterica	17	7	1	2	6	4	6	4	7	11	6	2	25
3. Phthisis	1	2	1	56
3a. Haemoptysis	1
4. Hydrocephalus	2	1	3
	22	9	..	1	2	2	6	4	6	4	8	5	8	11	6	2	2	2	87
Total Class II	22	10	1	1	3	3	6	4	8	5	8	12	11	3	4	5	4	..	110

F 1—*continued.*

CAUSES OF DEATH.	Under 1 year.																		Total.		
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CLASS III.—ORDER 1.																					
1. Cephalitis	9	3	1	...	1	2	1	1	2	1	1	1	1	2	1	1	1	18	
2. Apoplexy	1	16	
3. Paralysis	6	
4. Insanity	1	
5. Chorea	1	1	1	5	
6. Epilepsy	33	
7. Convulsions.....	27	3	3	1	10	
8. Brain Disease, &c.	1	1	1	89	
ORDER 2.																					
1. Pericarditis	
2. Aneurism.....	1	
3. Heart Disease, &c.	1	1	1	1	2	2	3	1	3	5	3	5	30	
ORDER 3.																					
1. Laryngitis	1	1	1	...	1	3	
2. Bronchitis	18	3	1	1	1	1	1	1	1	27	
3. Pleurisy	1	1	1	1	...	1	1	2	2	2	2	3	1	1	4	
4. Pneumonia	8	2	3	1	1	1	...	1	1	2	3	1	3	5	3	5	28	
4a. Congestion of the Lungs—Pulmonary.	2	1	2	1	...	1	1	2	2	3	1	1	1	1	5	
5. Asthma	1	...	1	1	1	1	1	1	3	
6. Lung Disease, &c.	
ORDER 4.																					
1. Gastritis	3	1	1	...	1	1	5	
2. Enteritis	12	...	1	1	1	...	1	...	1	...	1	16		
3. Peritonitis	1	1	
4. Ascites	1	1	
5. Ulceration of Intestines	
6. Hernia	
7. Ileus	3	1	...	4		
8. Intussusception	1	1	1	1	
9. Stricture of Intestines...	1	1	
10. Fistula	1	
11. Stomach Disease, &c....	1	1	
12. Pancreas Disease, &c....	1	...	1	1	1	1	1	1	7	
13. Hepatitis	1	1	...	1	1	1	1	1	1	4	
14. Jaundice	3	...	2	1	2	1	1	1	1	1	1	8	
15. Liver Disease, &c.	1	...	1	1	1	1	1	1	1	
16. Spleen Disease, &c....	
	22	2	1	2	...	1	2	2	2	2	3	3	2	2	4	1	1	50	
ORDER 5.																					
1. Nephritis	1	1	...	1	...	1	3	
2. Ischuria	3	1	1	...	1	6	
3. Nephria	1	1	
4. Diabetes	
5. Stone	
6. Cystitis.....	1	...	1	1	1	2	1	4	
7. Kidney Disease, &c.	1	...	1	1	1	1	1	1	1	6	
ORDER 6.																					
1. Ovarian Dropsy	
2. Uterus Disease, &c....	
ORDER 7.																					
1. Arthritis	1	1	
1a. Osiitis, Periostitis, &c..	1	1	
2. Joint Disease, &c.....	
ORDER 8.																					
1. Phlegmon.....	
2. Ulcer.....	
3. Skin Disease, &c.....	1	1	...	
Total Class III.....	88	17	14	5	3	6	4	...	3	5	14	9	8	8	14	14	17	14	8	11	262

F 1—*continued.*

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	16	16		
2. Cyanosis	1	1		
3. Spina Bifida	3	3		
4. Other Malformations..	5	5		
5. Teething	8	13	21		
	33	13	46		
ORDER 3.																						
1. Old Age	20		
ORDER 4.																						
1. Atrophy and Debility...	45	2	1	48		
Total Class IV.....	78	15	1	2	2	4	12	...	114
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	1	1	...	1	1	5	
2. Wounds { a Gunshot...	
b Cuts	
3. Burns and Scalds	
3a. Sunstroke	1	
4. Poison	1	
4a. Bite of Snake or Insect	
5. Drowning	4	3	3	2	3	1	1	1	...	18	
6. Suffocation	1	1	
7. Otherwise	
	...	5	4	3	2	1	...	1	...	3	1	2	1	...	2	...	25	
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise	
ORDER 3.—HOMICIDE.																						
Murder and Manslaughter..	
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	1	...	1	...	1	1	
Cut, Stab,&c.	1	...	1	...	1	2	
2. Poison	1	...	1	...	1	1	
3. Drowning	1	...	1	...	1	1	
4. Hanging	1	...	1	...	1	1	
5. Otherwise	1	...	1	...	1	5	
ORDER 5.—EXECUTION.																						
1. Hanging	
Violent Deaths (not classed)	
Total Class V.	5	4	3	2	1	...	2	1	4	1	3	1	...	3	30	
Causes not specified or ill-defined.	1	...	1	...	1	...	1	...	4	
GRAND TOTALS	245	64	28	14	14	21	8	8	12	13	30	18	24	27	31	22	27	26	16	27	675	

F 2.

DEATHS from all causes of FEMALES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1877.

CAUSES OF DEATH.																							
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER 1.																							
1. Small-pox.....																						1	
1a. Chicken-pox	1																						
2. Measles																							
3. Scarlatina.....																						3	
3a. Diphtheria	1	4	3	1	2	3	2															17	
4. Quinsy																							
5. Croup		6	3	1	2	3	1															16	
6. Whooping-cough.....	2																					2	
7. Typhoid (and Infantile Fever).	2			1		2	4	3	6	3	1	1	1									28	
8. Erysipelas	1																					3	
9. Métria																						1	
10. Carbuncle.....																							
11. Influenza	1																					1	
12. Dysentery	1	3																				5	
13. Diarrhoea	39	11	4					1							2							59	
14. Cholera	8	1														1	1					10	
15. Ague																							
16. Remittent Fever																							
17. Rheumatism																						1	
18. Pyæmia		1																				2	
	56	26	11	3	7	12	6	6	3	1	5	3	...	2	1	...	2	3	1	1	...	149	
ORDER 2.																							
1. Syphilis																							
2. Stricture of the Urethra																							
3. Hydrophobia																							
4. Glanders																							
ORDER 3.																							
1. Privation																							
2. Want of Breast Milk	13	1																				14	
3. Purpura and Scurvy																							
4. Alcoholism—																							
a. Del. Tremens																							
b. Intemperance																						1	
	13	1													1							15	
ORDER 4.																							
1. Thrush	2																					2	
2. Worms, &c.																							
2a. Hydatid																							
	2																					2	
Total Class I.....	71	27	11	3	7	12	6	6	3	1	6	3	...	2	1	...	2	3	1	1	...	166	
CLASS II.—ORDER 1.																							
1. Gout																							
2. Dropsy															1	2	1	1	1	1		8	
3. Cancer														1	1	1	1	2	1	1		8	
3a. Tumour																						3	
3b. Polypus																							
4. Noma																							
5. Mortification		1																	1			2	
	1														2	1	2	2	4	2	4	21	
ORDER 2.																							
1. Scrofula	5																					5	
2. Tabes Mesenterica	9	6	3												1	4	2	10	10	4	7	3	18
3. Phthisis	1	1																				48	
3a. Hæmoptysis																							
4. Hydrocephalus	4	1	2	1	2																	10	
	19	8	5	1	2				1	4	2	10	10	4	7	3	2	3		81	
Total Class II	19	9	5	1	2				1	4	2	10	12	5	9	5	4	7	2	4	1	102	

F 2—*continued.*

CAUSES OF DEATH.																					
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.
CLASS III.—ORDER 1.																					
1. Cephalitis	7	4	16
2. Apoplexy	12
3. Paralysis	6
4. Insanity
5. Chorea
6. Epilepsy
7. Convulsions	27	6	1	34
8. Brain Disease, &c.	2	4
	36	10	1	2	2	...	2	2	...	2	1	4	2	2	3	2	3	3	77
ORDER 2.																					
1. Pericarditis
2. Aneurism
3. Heart Disease, &c.	1	1	2	1	4	1	5	5	4	4	2	3	30	
	1	1	2	1	4	1	5	5	4	4	2	30	30	
ORDER 3.																					
1. Laryngitis	1	1	1	1	1	1	1	2	1	2	1	
2. Bronchitis	6	4	1	1	1	1	1	1	1	1	3	24	
3. Pleurisy	1	2	1	1	1	2	
4. Pneumonia	3	4	2	2	...	1	1	2	1	1	1	17	
4a. Congestion of the Lungs—Pulmonary.	5	2	1	1	1	1	1	12	
5. Asthma	1	
6. Lung Disease, &c.	1	
	14	10	4	1	3	1	1	1	5	2	...	1	5	3	2	1	4	58	
ORDER 4.																					
1. Gastritis	5	1	1	...	1	...	1	...	1	9	
2. Enteritis	11	2	1	...	2	...	2	1	1	1	1	1	1	1	1	1	21	
3. Peritonitis	1	1	1	...	1	1	1	1	1	1	1	1	1	1	4	
4. Ascites	1	1	1	1	1	1	1	1	1	1	4	
5. Ulceration of Intestines	1	...	1	...	1	1	1	1	1	1	
6. Hernia	1	...	1	...	1	...	1		
7. Ileus	1	...	1	...	1	...	1		
8. Intussusception	1	1	...	1	...	1	...	1		
9. Stricture of Intestines..	1	...	1	...	1	...	1		
10. Fistula	1	...	1	...	1	...	1		
11. Stomach Disease, &c.	1	1	...	1	...	1	...	1		
12. Pancreas Disease, &c.	1	...	1	...	1	...	1		
13. Hepatitis	1	...	1	...	1	...	1		
14. Jaundice	2	2	1	2	2	1	2	1	2	1		
15. Liver Disease, &c.	2	1	2	1	2	1	2		
16. Spleen Disease, &c.		
	19	5	1	2	3	1	2	5	4	4	5	5	4	3	4	2	2	71
ORDER 5.																					
1. Nephritis	1	...	1	...	1	2	
2. Ischuria	1	1	...	1	1	1	1	1	1	1	1	1		
3. Nephria	1	...	1	1	1	1	1	1	1		
4. Diabetes		
5. Stone		
6. Cystitis	1	...	1	...	1	...	1	...	1		
7. Kidney Disease, &c.	1	1	...	1	...	1	...	1	...	1		
	1	1	1	...	3	2	1	1	1	2		
ORDER 6.																					
1. Ovarian Dropsy	1	...	1	...	1	1	
2. Uterus Disease, &c.	1	...	1	...	1	1	
	1	...	1	...	1	1	
ORDER 7.																					
1. Arthritis		
1a. Ostitis, Periostitis	1		
2. Joint Disease, &c.	1		
	1		
ORDER 8.																					
1. Phlegmon	1	...	1	1	
2. Ulcer	1	...	1	1	
3. Skin Disease, &c.	1	...	1		
	1	...	1	...	1	2	
Total, Class III	69	27	6	1	3	4	8	4	4	5	14	15	7	17	19	15	12	7	7	9	253

F 2—*continued.*

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	
CLASS IV.—ORDER 1.																					Total.	
1. Premature Birth.....	14	14		
2. Cyanosis.....	1	1		
3. Spina Bifida.....		
4. Other Malformations.....	23	
5. Teething.....	12	11		
ORDER 2.																						
1. Paroxysma.....	38	
2. Childbirth (See Metria).....	5	
ORDER 3.																						
1. Old Age.....	6	
ORDER 4.																						
1. Atrophy and Debility.....	44	9	...	1	54	
Total Class IV.....	71	20	...	1	1	2	1	...	2	2	4	11	...	115	
CLASS V.—ORDER 1.																						
ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions.....	1	1	...	2	
2. Wounds—		
a. Gunshot.....	1	
b. Cuts.....	3	
3. Burns and Scalds.....	1	...	2	...	1	1	
3a. Sunstroke.....		
4. Poison.....		
4a. Bite of Snake or Insect.....		
5. Drowning.....		
6. Suffocation.....		
7. Otherwise.....		
1	...	2	1	1	1	1	...	7
ORDER 2.																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds.....		
2. Sword and Bayonet Wounds.....		
3. Otherwise.....		
ORDER 3.—HOMICIDE, MURDER, AND MANSLAUGHTER.																						
1. Wounds—																						
a. Gunshot.....		
Cut, Stab, &c.	1	
2. Poison.....	1	
3. Drowning.....	1	
4. Hanging.....	3	
5. Otherwise.....		
ORDER 5.—EXECUTION.																						
1. Hanging.....		
Violent Deaths (not classed).																						
Total Class V.....	1	...	2	1	1	1	1	...	1	...	1	1	...	10			
Causes not specified or ill-defined.		
GRAND TOTALS.....	231	83	24	7	13	16	15	15	11	17	32	26	17	24	25	22	17	16	13	22	646	

F 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1877.

CAUSES OF DEATH.	AGES																				
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.
CLASS I.—ORDER 1.																					
1. Small-pox	1	
1 α . Chicken-pox	1	
2. Measles	1	...	1	...	2	...	2	...	3	...	3	...	3	...	3	...	3	...	3	...	
3. Scarletina	2	5	4	6	8	2	
3 α . Diphtheria	2	5	4	6	8	2	
4. Quinsy	4	10	9	6	5	1	
5. Croup	3	...	3	5	4	7	4	3	3	1	1	1	1	1	1	1	1	1	1	1	
6. Whooping-cough	2	...	1	...	3	5	4	7	4	3	3	1	1	1	1	1	1	1	1	1	
7. Typhoid (and Infantile Fever)	2	...	1	...	3	5	4	7	4	3	3	1	1	1	1	1	1	1	1	1	
8. Erysipelas	2	
9. Meitria	
10. Carbuncle	1	
11. Influenza	1	
12. Dysentery	5	3	
13. Diarrhoea	70	25	5	...	1	
14. Cholera	13	2	
15. Ague	
16. Remittent Fever	
17. Rheumatism	
18. Pvaenia	
	103	47	18	11	15	22	7	8	4	5	9	3	2	6	3	3	5	4	1	5	281
ORDER 2.																					
1. Syphilis	2	1	3
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders	3
	2	1
ORDER 3.																					
1. Privation	21	2
2. Want of Breast Milk	21	2	1	23
3. Purpura and Scurvy	1	2
4. Alcoholism—																					
a. Del. Tremens	1	...	2	...	2	...	1	3
b. Intemperance	1	...	2	...	2	...	1	7
	21	2	1	...	1	...	1	...	3	3	1	2	...	1	35
ORDER 4.																					
1. Thrush	2	2
2. Worms, &c.
2 α . Hydatid	2	2
Total, Class I	128	49	18	11	15	23	7	9	5	5	12	6	3	8	3	4	5	4	1	5	321
CLASS II.—ORDER 1.																					
1. Gout	1	...	1	...	1	...	1	...	1	...	1	1	2	1	3	1	2	1	3	2
2. Dropsey	1	...	1	...	1	...	1	...	1	...	1	2	1	2	4	3	2	2	3	17
3. Cancer	1	...	1	...	1	...	1	...	1	...	1	1	1	1	1	1	1	1	4
3 α . Tumour	1	...	1	...	1	...	1	...	1	...	1	1	1	1	1	1	1	1	1
3 β . Polypus	1
4. Noma	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
5. Mortification	2	1	1	1	1	1	1	1	1	1	1	4	2	2	3	7	5	6	7	3
	2	1	1	1	1	1	1	1	1	1	1	1	1	4	2	2	3	7	5	6	44
ORDER 2.																					
1. Serofula	7	13	3	1	1	6	8	14	16	8	14	14	8	5	2	2	2	2	3	43	
2. Tubes Mesenterica	26	3	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	16
3. Phthisis	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
3 α . Haemoptysis	6	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	13
4. Hydrocephalus	41	17	5	2	4	1	6	8	14	16	8	15	14	8	5	2	2	2	2	2	168
Total, Class II	41	19	6	2	5	1	7	8	14	20	10	17	17	15	10	6	9	5	212

F 3—*continued.*

CAUSES OF DEATH.	Ages not specified.																			Total.		
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.		
CLASS III.—ORDER 1.																						
1. Cephalitis	16	7	1	...	1	4	1	...	1	...	2	3	4	3	1	1	1	1	1	1	34	
2. Apoplexy	1	1	1	1	...	1	...	1	1	1	1	1	1	28	
3. Paralysis	12	
4. Insanity	1	
5. Chorea	1	2	1	...	1	...	1	1	1	1	1	1	10	
6. Epilepsy	1	1	1	1	1	1	1	67	
7. Convulsions	54	9	4	1	1	1	1	1	1	1	1	14	
8. Brain Disease, &c.	3	1	1	1	1	2	1	1	1	1	166
	73	17	6	1	2	5	3	...	2	4	6	4	3	6	7	8	6	6	3	4	...	
ORDER 2.																						
1. Pericarditis	
2. Aneurism	1	1	
3. Heart Disease, &c.	1	1	...	1	3	...	1	1	3	6	4	6	5	7	9	3	4	5	...	60	
	...	1	1	...	1	3	...	1	1	3	6	4	6	6	7	9	3	4	5	...	61	
ORDER 3.																						
1. Laryngitis	2	1	1	1	1	1	1	3	2	3	...	4	4	
2. Bronchitis	24	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	51	
3. Pleurisy	1	1	1	1	1	1	1	1	1	1	1	6	
4. Pneumonia	11	6	5	1	1	1	2	2	1	...	3	4	1	2	3	1	2	1	45	
4a. Congestion of the Lungs—Pulmonary.	7	3	2	...	2	1	...	1	...	1	...	1	...	1	17	
5. Asthma	1	2	...	1	1	1	1	1	4	
6. Lung Disease, &c.	1	...	1	...	1	1	1	1	
	42	17	12	3	3	2	1	...	1	3	6	3	...	3	9	5	6	4	2	6	...	128
ORDER 4.																						
1. Gastritis	8	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	14	
2. Enteritis	23	2	1	...	1	1	2	...	2	1	1	2	1	1	1	1	1	1	1	1	37	
3. Peritonitis	1	1	1	...	2	1	...	1	...	1	1	1	1	1	1	1	8	
4. Ascites	1	1	1	...	1	1	1	1	1	1	1	5	
5. Ulceration of Intestines	1	1	...	1	1	1	1	1	1	1	4	
6. Hernia	1	...	1	1	1	1	1	1	1	
7. Ileus	3	1	...	1	1	1	1	1	6	
8. Intussusception	2	1	...	1	1	1	1	1	2	
9. Stricture of Intestines	1	...	1	...	1	...	1	1	1	1	1	2	
10. Fistula	1	...	1	...	1	...	1	1	1	1	1	3	
11. Stomach Disease, &c.	1	1	...	1	...	1	...	1	1	1	1	1	1	
12. Pancreas Disease, &c.	1	1	1	1	1	1	1	1	1	1	1	11	
13. Hepatitis	1	1	1	1	1	1	1	1	1	1	1	1	7	
14. Jaundice	5	2	2	1	3	4	2	2	1	1	2	1	1	20	
15. Liver Disease, &c.	1	...	1	1	1	1	1	1	
16. Spleen Disease, &c.	1	...	1	1	1	1	1	1	
	41	7	1	2	...	1	3	3	1	2	7	6	6	8	8	6	5	8	3	3	...	121
ORDER 5.																						
1. Nephritis	1	2	...	2	5	
2. Ischuria	1	1	4	2	2	1	1	1	1	1	1	1	12	
3. Nephria	1	1	1	1	1	1	1	2	
4. Diabetes	1	...	1	1	1	1	1	
5. Stone	1	1	...	1	1	1	1	5	
6. Cystitis	1	1	...	1	...	1	2	1	1	1	1	1	1	9	
7. Kidney Disease, &c.	2	1	...	1	1	2	...	6	4	2	1	2	3	3	3	2	...	33	
ORDER 6.																						
1. Ovarian Dropsy	1	...	1	1	
2. Uterus Disease, &c.	1	...	1	1	
	1	...	1	1	
ORDER 7.																						
1. Arthritis	1	1	
1a. Ostitis, Periostitis, &c.	1	1	
2. Joint Disease, &c.	1	1	2	
ORDER 8.																						
1. Phlegmon	1	...	1	1	
2. Ulcer	1	
3. Skin Disease, &c.	1	1	1	3	
	1	1	1	
Total, Class III.	157	44	20	6	6	10	12	4	7	10	28	24	15	25	33	29	29	21	15	20	515	

F 3—*continued.*

CAUSES OF DEATH.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
--	---------------	---------------	---------------	---------------	---------------	----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------------	---------------------	--------

CLASS IV.—ORDER 1.	1. Premature Birth	30	30	2
	2. Cyanosis	2	3	3
	3. Spina Bifida	3	5	5
	4. Other Malformations	5	44	44
	5. Teething	20	24
	60	24	84

ORDER 2.

1. Paroxysmia

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

G 1.

DEATHS from all causes, of MALES at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1877.

		CAUSES OF DEATH.																																											
		Under 1 year.		1 to 2 years.		2 to 3 years.		3 to 4 years.		4 to 5 years.		5 to 10 years.		10 to 15 years.		15 to 20 years.		20 to 25 years.		25 to 30 years.		30 to 35 years.		35 to 40 years.		40 to 45 years.		45 to 50 years.		50 to 55 years.		55 to 60 years.		60 to 65 years.		65 to 70 years.		70 to 75 years.		75 years and upwards.		Ages not specified.		Total.	
CLASS I.—ORDER 1.																																													
1. Small-pox.....													
1a. Chicken-pox.....	...	1	1	...													
2. Measles.....	1	2	...													
3. Scarletina.....	2	4	9	6	2	6	34	...													
3a. Diphtheria.....	7	10	9	5	3	20	63	...													
4. Quinsy.....	...	2	1	3	...													
5. Croup.....	17	17	17	14	9	17	91	...														
6. Whooping-cough.....	1	1	1	3	...														
7. Typhoid (and Infantile Fever).	8	9	6	3	4	11	10	20	17	13	16	8	6	4	1	3	3	1	2	147	...															
8. Erysipelas.....	4	11	...														
9. Metria.....														
10. Carbuncle.....	1	...														
11. Influenza.....	11	1	2	1	1	25	...														
12. Dysentery.....	29	15	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	89	...														
13. Diarrhoea.....	105	30	3	2	184	...														
14. Cholera.....	13	2	1	2	24	...														
15. Ague.....	1	3	...														
16. Remittent Fever.....	3	...	1	...	1	6	...														
17. Rheumatism.....	1	3	1	1	1	...	1	3	2	...	3	...	1	3	1	2	23	...																
18. Pyæmia.....	1	1	...	1	4	...														
		203	92	49	34	19	65	20	27	20	16	23	20	11	17	13	12	14	17	17	21	4	714																
ORDER 2.																																													
1. Syphilis.....	2	1	4	...														
2. Stricture of the Urethra.....	5	...														
3. Hydrophobia.....														
4. Glanders.....														
		2	1	9	...														
ORDER 3.																																													
1. Privation.....	1	...	1	1	1	3	...	3	5	2	4	3	1	1	1	1	1	1	1	1	6	32	...															
2. Want of Breast Milk.....	24	1	1	2	25	...														
3. Purpura and Scurvy.....	...	1	5	...														
4. Alcoholism— a. Del. Tremens.....	2	4	6	4	7	7	5	3	2	1	1	1	9	41	...														
		24	2	1	...	1	3	6	11	7	13	13	7	7	5	3	2	7	112														
ORDER 4.																																													
1. Thrush.....	15	...	1	...	1	...	1	1	15	...													
2. Worms, &c.....	...	1	...	1	...	1	...	1	2	3	...													
2a. Hydatid.....	1	...	1	5	...														
		15	1	...	1	...	1	1	2	1	1	...	1	23	...														
Total Class I.....	244	96	49	35	19	66	22	27	21	21	29	31	18	32	27	20	24	22	21	23	11	858															
CLASS II.—ORDER 1.																																													
1. Gout.....	1	1	1	1	1	1	1	1	1	1	3	6	3	3	4	4	4	4	4	4	4	3	...																
2. Dropsy.....	2	2	1	1	1	1	1	1	1	1	1	1	4	5	4	5	4	9	13	10	10	7	13	...	44	...															
3. Cancer.....	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	80	...													
3a. Tumour.....	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	13	...													
3b. Polypus.....															
4. Noma.....															
5. Mortification.....	1	...	2	...	2	5	...	10															
		3	2	2	1	1	2	1	6	7	10	11	13	20	17	16	13	25	...	150														
ORDER 2.																																													

G 1—*continued.*

CAUSES OF DEATH.	Under 1 year.																		Ages not specified.																		
	1 to 2 years.		2 to 3 years.		3 to 4 years.		4 to 5 years.		5 to 10 years.		10 to 15 years.		15 to 20 years.		20 to 25 years.		25 to 30 years.		30 to 35 years.		35 to 40 years.		40 to 45 years.		45 to 50 years.		50 to 55 years.		55 to 60 years.		60 to 65 years.		65 to 70 years.		70 to 75 years.		75 years and upwards.
CLASS III.—ORDER 1.																																					
1. Cephalitis	14	10	5	2	...	4	...	5	1	1	1	1	3	...	2	...	2	...	1	9	6	2	...	1	3	2	...	6	1	53					
2. Apoplexy	1	...	1	1	1	4	4	...	4	3	2	8	10	8	6	11	11	10	13	...	5	58		
3. Paralysis	1	...	1	1	1	4	4	...	4	3	2	8	10	8	6	11	11	10	13	...	5	91		
4. Insanity	2	...	2	1	2	1	2	...	2	3	2	3	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	3				
5. Chorea	3	2	1	2	1	2	1	...	3	2	3	6	3	8	5	4	5	5	1	1	1	1	1	1	1	1	1	25				
6. Epilepsy	2	23	9	1	1	...	4	...	2	1	3	2	...	2	3	6	3	8	5	4	5	5	1	1	1	1	1	1	1	1	1	1	181				
7. Convulsions	147	23	9	1	1	...	2	...	4	...	2	1	...	3	2	3	6	3	8	5	4	5	5	1	1	1	1	1	1	1	1	1	55				
8. Brain Disease, &c.	5	1	...	2	...	4	...	2	1	3	2	3	...	3	2	3	6	3	8	5	4	5	5	1	1	1	1	1	1	1	1	1	511				
	168	34	14	3	3	9	8	8	7	11	17	15	24	31	25	30	29	24	23	25	3	25	24	23	25	3	511										
ORDER 2.																																					
1. Pericarditis	1	4			
2. Aneurism	1	...	1	2	4	8	3	4	9	16	15	23	17	14	20	18	13	19	1	1	1	2	2	3	1	1	1	1	24						
3. Heart Disease, &c.	2	1	...	1	2	4	8	3	4	10	17	21	26	20	18	23	20	16	20	1	1	1	1	1	1	1	1	1	1	190							
	2	2	...	1	2	4	8	3	4	10	17	21	26	20	18	23	20	16	20	1	1	1	1	1	1	1	1	1	1	218							
ORDER 3.																																					
1. Laryngitis	1	...	2	2	1	7			
2. Bronchitis	56	26	14	5	3	6	1	...	2	2	1	...	2	1	...	1	2	4	6	9	12	7	14	170				
3. Pleurisy	1	...	1	...	1	...	1	...	1	3	2	...	2	1	...	1	2	...	1	1	...	1	1	16				
4. Pneumonia	35	11	5	3	1	7	2	6	5	11	3	7	14	17	10	10	10	10	10	10	10	10	10	10	8	6	1	1	1	1	182						
4a. Congestion of the Lungs—Pulmonary.	16	7	1	...	1	...	1	...	2	1	2	1	2	...	1	2	1	...	1	1	3	1	4	2	44				
5. Asthma	2	...	1	...	2	2	2	2	...	1	2	4	3	4	1	1	1	1	1	1	1	1	1	1	1	1	20					
6. Lung Disease, &c.	2	...	2	2	2	2	2	2	...	3	2	3	...	3	2	3	4	2	1	1	1	1	1	1	1	1	30					
	108	45	20	10	7	16	4	10	10	17	11	15	23	24	21	25	26	29	23	23	23	2	469														
ORDER 4.																																					
1. Gastritis	10	5	2	1	2	...	1	2	...	4	2	1	3	5	3	7	3	4	2	1	1	2	1	1	1	1	1	1	1	1	1	25					
2. Enteritis	30	11	1	2	1	6	2	4	2	1	3	1	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	89					
3. Peritonitis	4	...	1	1	1	1	3	1	1	15				
4. Ascites	2				
5. Ulceration of Intestines	...	1	1	10			
6. Hernia	1	9				
7. Ileus	6	14				
8. Intussusception	1	...	1	5				
9. Stricture of Intestines	4				
10. Fistula	2				
11. Stomach Disease, &c.	2	14				
12. Pancreas Disease, &c.	1	2	1	2	3	1	3	5	25					
13. Hepatitis	2	...	1	1	...	1	1	3	6	2	3	6	10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	10					
14. Jaundice	1	1	...	1	1	3	6	2	3	6	10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	44					
15. Liver Disease, &c.	1	...	1	1	3	6	2	3	6	10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1					
16. Spleen Disease, &c.	1	...	1	1	3	6	2	3	6	10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1					
	57	17	4	4	3	10	4	4	8	4	12	21	12	17	16	22	12	17	12	11	...	267															
ORDER 5.																																					
1. Nephritis	1	2	1	11			
2. Ischuria	1	...	1	1	...	1	2	2	...	1	2	2	2	2	2	2	2	2	2	3	16						
3. Nephria	1	1				
4. Diabetes	2	1	7				
5. Stone	1	1	1	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	14					
6. Cystitis	1	1	1	1	...	1	1	2	2	2	2	2</																	

G 1—*continued.*

CAUSES OF DEATH.																									
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.			
CLASS IV.—ORDER 1.																									
1. Premature Birth.....	84	84	
3. Cyanosis	2	2	
3. Spina Bifida	2	2	
4. Other Malformations...	8	8	
5. Teething	66	79	145	
	162	79	241	
ORDER 3.																									
1. Old Age	304
ORDER 4.																									
1. Atrophy and Debility...	173	16	1	190
Total Class IV	335	95	1	735
CLASS V.—ORDER 1— ACCIDENT OR NEGLIGENCE.																									
1. Fractures & Contusions	3	1	2	3	3	9	16	10	9	20	20	24	20	16	15	9	7	12	6	4	3	212	...		
2. Wounds { a Gunshot...	...	1	1	1	1	...	1	...	1	1	1	2	1	1	1	1	1	1	1	1	1	1	6
b Cuts	7	
3. Burns and Scalds	5	4	1	2	2	...	2	...	2	...	1	1	1	2	1	2	1	1	1	1	1	1	1	27	
3a. Sunstroke	2	1	2	...	2	3	...	2	1	1	2	1	1	1	1	1	1	1	1	1	21	
4. Poison	1	2	2	1	1	1	1	1	1	1	1	1	1	1	8	
4a. Bite of Snake or Insect	1	2	3	
5. Drowning.....	1	4	5	...	3	12	6	5	7	11	17	11	11	9	7	3	5	4	1	1	1	1	10	132	
6. Suffocation	4	1	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	16	
7. Otherwise	1	...	1	1	1	1	1	1	1	1	1	1	1	2	
	14	13	9	5	9	25	26	17	23	38	42	43	38	27	28	14	15	18	6	7	17	17	434		
ORDER 2.—VIOLENT DEATHS IN BATTLE.																									
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise.....	
ORDER 3.—HOMICIDE. Murder & Manslaughter	2	1	2	2	...	2	...	2	1	12	
ORDER 4.—SUICIDE.																									
1. Wounds { Gunshot	1	1	1	1	1	1	1	1	1	1	1	1	4	
Cut, Stab,&c.	1	1	2	2	1	1	1	1	1	1	1	1	8	
2. Poison	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	7	
3. Drowning.....	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	8	
4. Hanging	1	...	1	2	2	1	1	1	1	1	1	1	1	1	1	7	
5. Otherwise	1	...	1	1	1	1	2	1	1	1	1	1	1	1	1	6	
	1	...	3	5	5	4	5	5	3	8	1	1	40		
ORDER 5.—EXECUTION.																									
1. Hanging	1	1	
Violent Deaths (not classed)	
Total Class V	16	13	9	5	9	25	26	17	25	40	48	48	45	31	35	20	18	26	6	7	18	18	487		
Causes not specified or ill-defined.	2	...	1	2	4	3	6	6	4	5	1	1	41	
GRAND TOTALS ...	979	332	104	59	44	137	73	84	101	127	159	192	193	201	184	180	213	207	185	311	43	4,108			

G 2.

DEATHS from all causes, of FEMALES at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1877.

CAUSES OF DEATH.	Under 1 year.																					
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS I.—ORDER I.																						
1. Small-pox	1	9	1	10	3	15	8	2	1	1	1	1	1	1	1	1	1	1	1	52		
1a. Chicken-pox	5	12	11	9	12	26	11	3	1	1	1	1	1	1	1	1	1	1	1	91		
2. Measles	1	12	15	10	8	17	12	1	1	1	1	1	1	1	1	1	1	1	1	5		
3. Scarlatina	1	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	71		
3a. Diphtheria	5	12	11	9	12	26	11	3	1	1	1	1	1	1	1	1	1	1	1	10		
4. Quinsy	1	12	15	10	8	17	12	1	1	1	1	1	1	1	1	1	1	1	1	128		
5. Croup	9	12	15	10	8	17	12	1	1	1	1	1	1	1	1	1	1	1	1	1		
6. Whooping-cough	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
7. Typhoid (and Infantile Fever).	8	9	4	12	12	20	16	15	24	9	4	4	4	4	4	4	4	4	4	14		
8. Erysipelas	3	1	2	2	1	1	1	1	1	1	1	1	1	1	1	11		
9. Metria		
10. Carbuncle		
11. Influenza	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11		
12. Dysentery	21	10	3	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	48		
13. Diarrhoea	74	31	5	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	131		
14. Cholera	10	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19		
15. Ague	2		
16. Remittent Fever	2	4	3	2	1	2	1	2	1	2	1	2	1	1	1	1	1	1	1	16		
17. Rheumatism	1	1	1	1	1	1	1	1	1	15		
18. Pyæmia	1	3		
	143	94	45	36	30	89	41	26	28	18	10	12	5	9	5	4	11	4	6	10	1	627
ORDER 2.																						
1. Syphilis	1	1	2		
2. Stricture of the Urethra		
3. Hydrophobia		
4. Glanders		
	1	1	1	2		
ORDER 3.																						
1. Privation		
2. Want of Breast Milk	18	2	20		
3. Purpura and Scurvy	1	2		
4. Alcoholism—		
a. Del. Tremens	1		
b. Intemperance	1	1	2	1	2	1	1	1	9		
	18	3	1	1	1	1	2	2	1	2	1	1	1	32		
ORDER 4.																						
1. Thrush	19	1	1	20		
2. Worms, &c.	1	1	1	2		
2a. Hydatid	1	3		
	19	2	...	1	...	1	...	1	...	1	1	25		
Total Class I.....	180	100	46	37	30	90	42	26	29	19	11	12	7	10	7	5	13	5	6	10	1	686
CLASS II.—ORDER I.																						
1. Gout	2	2	1	2	2	3	3	4	1	1	
2. Dropsey	3	1	...	1	...	1	...	1	2	2	3	3	3	4	33		
3. Cancer	1	...	1	...	1	...	1	2	2	3	3	3	4	38		
3a. Tumour	1	...	1	...	1	...	1	2	2	3	3	3	4	10		
3b. Polypus	1	...	1	...	1	...	1	2	2	3	3	3	4	1		
4. Noma	1	...	1	...	1	...	1	2	2	3	3	3	4	1		
5. Mortification	4	...	2	...	4	5	5	9	9	6	13	6	4	3	1	
	3	4	...	2	...	4	5	5	9	9	6	13	6	4	3	83	
ORDER 2.																						
1. Serofula	1	1	2	2	1	7	7	17	11	17	11	4	13	6	1	1	3		
2. Tabes Mesenterica	26	12	2	2	1	...	1	7	7	17	11	17	11	4	13	6	1	3	43			
3. Phthisis	3	1	1	1	7	7	17	11	17	11	1	1	1	3	1	1	106		
3a. Haemoptysis	1	...	1	...	1	...	1	...	1	...	1	...	2	2		
4. Hydrocephalus	2	4	1	...	1	...	1	...	1	...	1	...	1	...	1	...	1	...	7	2		
5. Abscess	1	...	1	...	1	...	1	...	1	...	1	...	2			
	31	18	5	2	2	...	1	7	7	17	13	17	11	4	13	7	2	3	2	1	163	
Total Class II	34	18	5	2	2	4	1	9	7	21	18	22	20	13	19	20	8	7	5	10	1	246

G 2—*continued.*

CAUSES OF DEATH.	Under 1 year.																			Agres not specified.	Total.	
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.			
CLASS III.—ORDER 1.																						
1. Cephalitis.....	12	4	2	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	25	
2. Apoplexy.....	...	2	24	
3. Paralysis.....	33	
4. Insanity.....	10	
5. Chorea.....	2	
6. Epilepsy.....	10	
7. Convulsions.....	145	24	5	1	2	1	2	1	2	1	3	1	1	1	1	1	1	1	1	1	175	
8. Brain Disease, &c.	2	11	
	159	30	7	2	1	5	7	3	7	7	5	10	3	6	11	10	6	4	7	...	290	
ORDER 2.																						
1. Pericarditis.....	3	
2. Aneurism.....	6	
3. Heart Disease, &c.	2	3	6	4	8	2	2	5	4	8	9	7	9	7	5	4	6	91	
	2	3	6	5	8	2	2	5	7	9	10	7	9	7	5	6	7	100	
ORDER 3.																						
1. Laryngitis.....	2	2	3	2	3	1	2	1	1	12	
2. Bronchitis.....	43	21	10	5	2	7	2	1	2	6	8	3	
3. Pleurisy.....	1	5	4	4	4	4	5	2	3	1	3	9	2	3	...	6	
4. Pneumonia.....	30	6	4	4	2	2	1	...	1	...	2	1	...	2	2	1	...	1	97	
4a. Congestion of the Lungs—Pulmonary.	7	2	24	
5. Asthma.....	5	
6. Lung Disease, &c.	1	1	1	...	1	1	1	1	2	9	
	82	32	14	12	4	13	11	6	6	6	6	11	6	4	9	6	8	17	10	7	...	270
ORDER 4.																						
1. Gastritis.....	8	7	1	2	2	1	1	1	...	1	4	5	1	2	3	2	3	1	1	1	24	
2. Enteritis.....	24	9	1	3	1	4	2	7	...	4	5	1	1	2	...	1	1	2	1	1	75	
3. Peritonitis.....	1	...	2	1	1	1	2	12	
4. Ascites.....	1	1	1	
5. Ulceration of Intestines	...	1	1	1	3	
6. Hernia.....	2	
7. Ileus.....	1	1	...	1	...	1	...	1	...	3	2	1	10	
8. Intussusception.....	1	...	1	2	1	1	
9. Stricture of Intestines.....	
10. Fistula.....	
11. Stomach Disease, &c.	3	1	3	1	1	1	9	
12. Pancreas Disease, &c.	1	1	
13. Hepatitis.....	1	1	1	2	...	3	3	1	1	1	13		
14. Jaundice.....	4	1	1	...	1	...	1	1	1	2	...	1	...	1	1	1	10		
15. Liver Disease, &c.	1	...	2	1	...	2	6	3	2	...	1	3	21		
16. Spleen Disease, &c.	
	42	18	2	5	3	5	5	9	5	7	9	6	13	6	8	10	10	12	5	2	...	182
ORDER 5.																						
1. Nephritis.....	...	1	2	1	4	
2. Ischuria.....	1	1	...	1	1	1	3	1	1	1	1	1	1	
3. Nephria.....	1	...	1	1	1	1	1	1	1	1	1	9	
4. Diabetes.....	1	
5. Stone.....	1	...	1	1	1	1	1	1	2	
6. Cystitis.....	1	1	...	1	2	...	1	1	1	1	1	1	1	1	4	
7. Kidney Disease, &c.	1	1	...	1	2	...	1	1	1	1	1	1	1	1	7	
	2	1	...	1	1	2	1	1	3	3	3	1	3	2	2	2	...	28
ORDER 6.																						
1. Ovarian Dropsy.....	1	2	...	1	1	1	1	1	1	1	1	1	4	
2. Uterus Disease, &c.	1	1	1	1	1	1	1	1	1	1	1	3	
	1	...	2	...	1	1	1	1	1	1	1	1	1	7	
ORDER 7.																						
1. Arthritis.....	1	
1a. Ostitis, Periostitis, &c.	1	1	1	
2. Joint Disease, &c.	1	1	1	
	1	1	2	
ORDER 8.																						
1. Phlegmon.....	1	1	
2. Ulcer.....	1	1	1	1	1	1	2	
3. Skin Disease, &c.	1	1	1	1	1	1	1	
	1	1	1	1	1	1	4	
Total Class III.....	287	81	23	18	12	25	27	31	17	25	31	30	42	27	33	38	39	44	28	25	...	883

G 2—*continued.*

CAUSES OF DEATH.	Under 1 year.																			Total.			
	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.			
CLASS IV.—ORDER 1.																							
1. Premature Birth.....	57	57			
2. Cyanosis	1	1			
3. Spina Bifida	1	1			
4. Other Malformations...	8	8			
5. Teething	62	53	115			
	129	53	182			
ORDER 2.																							
1. Paramenia	2			
2. Childbirth (See Metria)	76			
	78			
ORDER 3.																							
1. Old Age	104			
ORDER 4.																							
1. Atrophy and Debility...	129	9	138			
Total Class IV.....	258	62	5	11	14	23	12	11	2	13	17	18	56	...	502
CLASS V.—ORDER 1.—																							
ACCIDENT OR NEGLIGENCE.																							
1. Fractures & Contusions..	2	4	1	1	...	1	...	1	1	1	...	2	2	1	17	
2. Wounds { a Gunshot	3	7	4	2	4	...	3	1	1	1	1	1	1	1	1	1	1	3
2. Wounds { b Cuts	3	6
3. Burns and Scalds	1	2	3	6	2	7	4	2	4	...	3	1	1	1	1	1	1	1	1	1	1	1	41
3a Sunstroke	1	1	1	2	...	1	1	1	1	1	1	1	1	1	1	1	8
4. Poison	1	2	1	1	...	1	1	...	1	1	1	1	1	1	1	1	1	1	27
4a Bite of Snake or Insect	5
5. Drowning	5	5	1	2	5	1	2	...	1	1	1	1	1	1	2	1	1	1	1	1	27
6. Suffocation	4	1
7. Otherwise.....
	9	10	12	7	3	13	10	5	7	4	5	3	3	3	1	1	4	2	3	1	1	1	107
ORDER 2.—																							
VIOLENT DEATHS IN BATTLE.																							
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise.....
ORDER 3.—HOMICIDE.																							
Murder and Manslaughter	2	2
ORDER 4.—SUICIDE.																							
1. Wounds { Gunshot
1. Wounds { Cut, Stab, &c.
2. Poison	1	...	1	1
3. Drowning.....	1	...	1	1
4. Hanging	1	...	1	1
5. Otherwise	1	...	1	2
ORDER 5.—EXECUTION.																							
1. Hanging
Violent Deaths (not classed)
Total Class V.	9	10	12	7	3	13	12	5	7	4	6	3	4	3	1	1	4	2	3	1	1	111	
Causes not specified or ill-defined.	1	3	1	2	1	1	1	2	12	
GRAND TOTALS.....	768	271	86	64	48	135	83	78	72	83	89	79	85	56	62	64	77	75	60	102	3	2,440	

G 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1877.

CAUSES OF DEATH.																						
	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox.....	
1a. Chicken-pox.....	...	1	1	2	1	
2. Measles.....	1	
3. Scarlatina.....	3	13	10	16	5	21	10	3	1	1	1	1	1	1	1	1	1	1	1	1	86	
3a. Diphtheria.....	12	22	20	14	15	46	16	5	...	1	1	1	1	1	1	1	1	1	1	1	154	
4. Quinsy.....	1	2	...	1	1	2	...	1	1	1	1	1	1	1	1	1	1	1	1	1	8	
5. Croup.....	26	29	32	24	17	34	162	
6. Whooping-cough.....	7	2	1	1	1	1	13	
7. Typhus (and Infantile Fever).	16	18	10	5	6	31	26	35	41	22	20	12	10	8	2	4	4	1	2	2	275	
8. Erysipelas.....	7	1	2	2	...	1	5	...	4	...	1	3	1	3	1	1	25	
9. Metria.....	11	
10. Carbuncle.....	14	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
11. Influenza.....	50	25	7	2	1	4	2	1	2	1	1	1	1	1	1	1	1	1	1	1	36	
12. Dysentery.....	179	61	8	3	1	3	...	1	1	2	1	1	4	1	1	5	5	5	4	6	2	137
13. Diarrhoea.....	23	5	2	3	1	1	1	...	4	1	1	1	1	1	1	1	43	
14. Cholera.....	1	1	...	1	...	1	...	1	1	1	1	1	1	4	
15. Ague.....	5	4	3	1	...	3	2	...	1	1	1	1	1	1	1	1	1	1	1	1	23	
16. Remittent Fever.....	1	2	4	3	2	1	2	3	3	2	...	4	2	1	3	3	2	...	38	
17. Rheumatism.....	1	1	1	...	1	2	...	1	7	
18. Pyæmia.....	346	186	94	70	49	154	61	53	48	34	33	32	16	26	18	16	25	21	23	31	5	1341
ORDER 2.																						
1. Syphilis.....	2	2	1	1	1	1	1	1	1	6	
2. Stricture of the Urethra.....	5	
3. Hydrophobia.....	
4. Glanders.....	
...	2	2	1	1	1	1	2	1	1	11		
ORDER 3.																						
1. Privation.....	1	...	1	1	1	3	...	3	5	2	4	3	1	1	6	32	
2. Want of Breast Milk.....	42	3	1	2	45	
3. Purpura and Scurvy.....	...	2	1	1	1	1	1	1	1	1	1	7	
4. Alcoholism—	2	...	3	4	6	6	7	9	6	5	10	
a Del. Tremens.....	3	4	6	6	6	7	9	6	5	1	50	
b Intemperance.....	42	5	2	...	1	4	7	11	9	13	15	8	9	6	3	2	7	144
ORDER 4.																						
1. Thrush.....	34	1	35	
2. Worms, &c.....	...	2	...	2	...	1	...	1	2	...	1	5	
2a. Hydatid.....	1	1	1	2	1	8	
...	34	3	...	2	...	2	1	...	1	2	2	...	1	...	1	48	
Total Class I	424	196	95	72	49	156	64	53	50	40	40	43	25	42	34	25	37	27	27	33	12	1544
CLASS II.—ORDER 1.																						
1. Gout.....	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	4	
2. Dropsy.....	5	2	1	...	1	1	1	6	6	11	7	12	22	13	13	7	11	77	
3. Cancer.....	1	...	1	1	1	4	2	2	2	1	5	2	1	1	1	118	
3a. Tumour.....	1	2	...	1	23	
3b. Polypus.....	
4. Noma.....	1	1	2	...	2	5	...	11	
5. Mortification.....	2	...	2	5	...	233	
...	6	2	6	1	3	2	5	11	12	19	20	19	33	23	20	16	35	...	233
ORDER 2.																						
1. Scrofula.....	4	1	2	3	...	1	1	1	3	16	
2. Tabes Mesenterica.....	49	34	5	2	2	...	1	93	
3. Phthisis.....	6	2	1	1	...	2	14	29	42	32	48	36	24	32	20	10	4	4	3	3	315	
3a. Haemoptysis.....	1	1	1	1	5		
4. Hydrocephalus.....	15	7	2	...	1	1	25	
5. Abscess.....	1	2	
...	74	44	10	3	4	5	3	15	30	42	34	49	36	24	33	22	13	5	4	3	3	456
Total Class II	80	46	10	3	4	11	4	18	32	47	45	61	55	44	52	55	36	25	20	38	3	689

G 3—*continued.*

CAUSES OF DEATH.		G 3— <i>continued.</i>																						
		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.	
CLASS III.—ORDER 1.																								
1. Cephalitis.....	26	14	7	2	1	4	1	7	2	2	2	3	2	10	11	9	13	6	1	2	1	78		
2. Apoplexy.....	1	...	2	1	1	5	4	6	11	11	9	11	5	6	8	1	82		
3. Paralysis.....	...	2	1	...	1	1	1	5	8	4	5	3	8	5	7	3	13	16	...	124		
4. Insanity.....	3	1	55		
5. Chorea.....	4	3	3	4	3	3	3	3	1	2	1	1	1	1	1	5		
6. Epilepsy.....	2	1	35		
7. Convulsions.....	292	47	14	1	2	356		
8. Brain Disease, &c.	7	1	2	6	1	2	1	4	2	5	6	4	9	5	4	5	2	...	66	
	327	64	21	3	5	10	13	15	10	18	24	20	34	34	31	41	39	30	27	32	3	801		
ORDER 2.																								
1. Pericarditis.....	1	1	1	...	2	...	7		
2. Aneurism.....	1	3	2	2	3	2	...	30	
3. Heart Disease, &c.	4	...	1	...	4	8	8	16	5	6	14	20	23	32	24	23	27	23	17	25	1	281		
	4	...	2	...	4	8	9	16	5	6	15	24	30	36	27	27	30	25	22	27	1	318		
ORDER 3.																								
1. Laryngitis.....	2	3	...	5	2	4	1	1	1	19		
2. Bronchitis.....	99	47	24	10	5	13	3	1	...	2	2	3	2	2	7	6	11	18	15	17	...	287		
3. Pleurisy.....	1	1	...	1	1	5	...	3	3	1	1	1	...	1	1	22		
4. Pneumonia.....	65	17	9	7	1	8	7	10	9	15	7	12	16	20	13	11	13	19	10	9	1	279		
4a. Congestion of the Lungs—Pulmonary.	23	9	1	...	2	2	3	1	4	3	...	1	3	5	2	4	3	...	68			
5. Asthma.....	1	...	1	2	1	1	2	4	4	6	2	1	1	...	25			
6. Lung Disease, &c.	1	2	1	3	2	2	3	3	4	1	5	2	3	4	2	1	...	39		
	190	77	34	22	11	29	15	16	16	23	17	26	29	28	30	31	34	46	33	30	2	739		
ORDER 4.																								
1. Gastritis.....	18	12	3	2	3	2	1	1	...	1	1	1	3	1	...	49		
2. Enteritis.....	54	20	2	5	2	10	4	11	2	5	8	6	4	9	6	6	5	2	2	1	...	164		
3. Peritonitis.....	4	1	1	1	1	...	5	2	2	1	2	1	...	2	1	2	1	27		
4. Ascites.....	1	1	1	...	1	3		
5. Ulceration of Intestines.....	...	2	2	3	1	...	3	1	...	1	1	13	
6. Hernia.....	1	1	1	1	1	1	2	2	2	...	12		
7. Ileus.....	7	1	2	...	1	2	1	3	4	2	2	...	23		
8. Intussusception.....	1	1	1	2	1	1	1	1	6		
9. Stricture of Intestines.....	1	4		
10. Fistula.....		
11. Stomach Disease, &c.	5	1	1	2	4	4	3	1	2	...	23	
12. Pancreas Disease, &c.	1	1		
13. Hepatitis.....	3	...	1	1	...	2	1	3	4	3	3	5	3	...	5	1	4	...	38	
14. Jaundice.....	5	1	1	1	...	3	2	1	2	...	1	1	2	4	...	1	...	20		
15. Liver Disease, &c.	2	...	3	2	3	8	8	6	8	10	4	6	3	2	...	1	65		
16. Spleen Disease, &c.	1	1		
	99	35	6	9	6	15	9	13	13	11	21	27	25	23	24	32	22	29	17	13	...	449		
ORDER 5.																								
1. Nephritis.....	1	3	1	...	2	...	2	3	...	1	...	2	...	1	15		
2. Ischuria.....	1	1	1	1	1	3	3	...	2	5	3	3	1	3		
3. Nephria.....	1	1	...	1	...	1	25		
4. Diabetes.....	1	...	1	2		
5. Stone.....	1	1	1	2	1	...	2	1	1	2	2	...	9		
6. Cystitis.....	1	1	1	...	1	1	4	...	2	2	2	4	2	3	1	...	18	
7. Kidney Disease, &c.	1	...	1	1	...	1	1	4	...	2	2	2	3	1	6	...	25			
	3	5	...	2	1	2	4	2	4	12	6	5	6	11	14	8	12	...	97			
ORDER 6.																								
1. Ovarian Dropsy.....	1	2	...	1	1	1	1	4		
2. Uterus Disease, &c.	1	2	...	1	1	1	1	3		
	1	2	...	1	1	1	1	7		
ORDER 7.																								
1. Arthritis.....	1	2	3		
1a. Ostitis, Periostitis, &c.	1	1	1		
2. Joint Disease, &c.	1	1	1	1		
	1	1	1	2	5		
ORDER 8.																								
1. Phlegmon.....	1	1	1	2	1	1	...	1	
2. Ulcer.....	1	1	2	1	1	...	6	
3. Skin Disease, &c.	2	2	4	
	2	1	1	1	2	1	2	1	...	11
Total Class III	625	181	63	36	26	63	47	62	46	63	82	101	131	128	118	138	141	146	109	115	6	2427		

G 3—*continued.*

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.		
CLASS IV.—ORDER 1.																								
1. Premature Birth	141	141	
2. Cyanosis	3	3	
3. Spina Bifida	3	3	
4. Other Malformations	16	16	
5. Teething	128	132	260	
	291	132	423	
ORDER 2.																								
1. Paramenia	2	
2. Childbirth (See Metria)	76	
	78	
ORDER 3.																								
1. Old Age	408	
ORDER 4.																								
1. Atrophy and Debility ...	302	25	1	328	
Total Class IV.	593	157	1	5	11	14	23	12	11	2	54	55	80	219	...	1237
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.																								
1. Fractures & Contusions	3	1	4	3	3	13	17	11	9	21	20	25	21	17	15	9	9	14	7	4	3	229		
2. Wounds { a Gunshot	1	1	1	...	1	1	1	1	...	1	6	
3. b Cuts	3	1	2	...	2	...	1	...	1	10	
3. Burns and Scalds	6	6	4	8	4	7	6	2	6	...	4	1	2	1	2	1	1	1	1	3	3	68		
3a. Sunstroke	2	1	1	1	2	...	2	4	5	2	1	2	1	1	1	1	1	1	...	1	27		
4. Poison	1	3	1	2	...	1	...	3	1	...	3	...	1	1	1	1	16		
4a. Bite of Snake or Insect	1	3	
5. Drowning	1	9	10	...	4	14	11	6	9	11	18	12	11	9	8	3	7	4	1	1	10	159		
6. Suffocation	8	1	1	2	2	3	1	...	1	...	1	...	1	...	1	21		
7. Otherwise	1	...	1	...	1	...	1	2		
	23	23	21	12	12	38	36	22	30	42	47	46	41	30	29	15	19	20	9	8	18	541		
ORDER 2.—VIOLENT DEATHS IN BATTLE.																								
1. Gunshot Wounds	
2. Sword and Bayonet Wounds	
3. Otherwise	
ORDER 3.—HOMICIDE.																								
Murder & Manslaughter	2	2	...	1	2	2	...	2	...	2	1	14	
ORDER 4.—SUICIDE.																								
1. Wounds { Gunshot	1	...	1	...	1	1	1	1	1	1	4	
2. Cut, Stab, &c.	1	...	2	2	1	1	1	1	1	1	1	8	
3. Poison	1	...	1	1	1	2	1	1	1	1	1	1	1	1	7		
4. Drowning	1	...	1	2	3	...	1	1	1	1	1	1	1	1	9		
5. Hanging	1	...	1	1	1	...	2	...	1	1	1	1	1	1	8		
5. Otherwise	1	...	4	5	6	4	5	5	3	8	...	1	1	1	42		
ORDER 5.—EXECUTION.																								
1. Hanging	1	...	1	1		
Violent Deaths (not classed)	
Total Class V.	25	23	21	12	12	38	38	22	32	44	54	51	49	34	36	21	22	28	9	8	19	598		
Causes not specified or ill-defined.	1	3	3	2	2	4	3	7	7	6	5	1	1	6	53		
GRAND TOTALS	1747	603	190	123	92	271	156	162	173	210	248	271	278	257	246	244	291	282	245	413	46	6548		

H.

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of New South Wales, during each Month of the Year 1877, classified under the heads of the several Causes of Death.

CAUSES OF DEATH.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total.			
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Percentage on total Deaths of the Year.		
I.—Zymotic Diseases.																												
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.)	124	138	102	90	132	95	110	131	102	82	92	89	62	57	37	38	44	34	56	48	74	66	86	70	1021	938 1959	19·85	
2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.)	4	...	2	...	3	...	1	2	...	1	...	2	4	...	2	1	...	1	1	...	1	...	1	...	19	7	26	0·26
3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.)	31	5	12	5	15	8	12	11	13	7	20	4	12	3	17	9	5	5	15	1	14	4	16	9	182	71	253	2·57
4. Parasitic Diseases—(Thrush, Worms, &c.)	...	2	4	4	2	5	4	3	4	6	2	1	2	2	3	...	1	2	1	1	3	4	2	28	30	58	0·59	
Total	159	145	120	99	152	108	127	147	119	96	114	96	80	62	59	48	49	41	74	50	90	73	107	81	1250	1046		
II.—Constitutional Diseases.																												
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)	14	6	11	12	15	16	25	9	12	19	28	13	24	15	20	12	17	15	20	8	18	14	18	12	222	151	373	3·78
2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	50	46	35	27	38	27	55	30	42	38	46	28	49	28	35	25	36	33	35	17	43	24	43	26	507	349	856	8·67
Total	64	52	46	39	53	43	80	39	54	57	74	41	73	43	55	37	53	48	55	25	61	38	61	38	729	500		
III.—Local Diseases.																												
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)	88	46	56	46	71	39	57	44	61	41	59	40	53	46	53	37	63	33	47	48	66	47	58	46	732	513	1245	12·62
2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)	30	17	17	4	16	13	16	7	22	16	29	20	32	13	30	24	22	11	34	19	26	16	32	12	306	172	478	4·84
3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)	48	22	37	25	44	29	35	33	69	36	78	51	75	42	58	51	78	44	45	34	41	30	44	21	652	421	1073	10·87
4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.)	43	43	45	24	47	36	36	34	37	35	24	25	24	20	24	25	25	17	29	21	28	17	29	29	391	326	717	7·27
5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.)	9	7	7	6	11	5	12	4	14	9	15	4	8	6	15	3	8	4	10	3	17	4	5	3	131	58	189	1·92
6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.)	2	1	...	1	...	2	...	1	...	2	8	8	0·08		
7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.)	2	...	2	...	1	...	1	...	1	...	1	...	1	1	1	1	1	1	2	2	...	1	6	5	11	0·11		
8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin, Disease, &c)	1	...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	...	9	7	16	0·16			
Total	221	135	163	110	190	122	157	125	203	139	205	141	193	130	181	141	197	110	166	126	183	116	168	115	2227	1510		
IV.—Developmental Diseases.																												
1. Diseases of Children—(Cyanosis, Teething, &c.)	51	37	43	21	42	43	35	35	35	20	21	14	19	17	18	7	22	17	12	20	24	18	26	23	348	272	620	6·28
2. Diseases of Adults—(Paramenia, Childbirth, &c.)	...	11	...	8	...	3	...	3	...	10	...	7	...	12	...	8	...	11	...	14	...	6	...	9	...	102	102	1·03
3. Diseases of Old People—(Old Age, &c.)	41	9	32	10	25	15	23	14	27	18	40	9	28	16	35	11	19	16	31	9	19	12	30	12	350	151	501	5·08
4. Diseases of Nutrition—(Atrophy, Debility)	44	39	31	16	32	17	27	21	28	23	17	14	14	19	26	16	12	6	23	15	27	17	26	34	307	237	544	5·51
Total	136	96	106	55	99	78	85	73	90	71	78	44	61	64	79	42	53	50	66	58	70	53	82	78	1005	762		
V.—Violence.																												
1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.)	66	10	49	17	49	10	36	11	45	12	36	15	43	14	45	13	29	6	39	7	47	9	45	10	529	134	663	6·72
2. Homicide—(Murder and Manslaughter)	...	2	1	1	3	1	...	2	...	1	...	2	...	3	...	1	...	2	1	2	1	15	6	21	0·21	
3. Suicide—(Poison, Drowning, Hanging, &c.)	5	1	6	1	5	...	4	1	1	...	7	...	3	...	4	2	4	...	5	...	7	1	2	1	53	7	60	0·61
4. Execution—(Hanging)	1	...	1	1	...	1	0·01	
Total	71	13	56	19	57	10	40	13	46	12	46	15	47	14	49	15	36	6	45	7	56	11	49	12	598	147		
Unspecified	4	4	9	1	5	4	6	2	7	6	8	3	3	1	3	1	1	...	10	1	5	2	7	2	68	27	95	0·96
Total from all Causes	655	445	500	323	556	365	495	399	519	381	525	340	457	314	426	285	389	255	416	267	465	293	474	325	5877	3992	9869	100·00

I.

TABLE showing the DEATHS which have occurred from the Causes stated, in each of the several WARDS of the City of SYDNEY, from 1st January to 31st December, 1877, distinguishing those under Five years of age.

CAUSES OF DEATH.	Gipps.	Bourke.	Brisbane.	Macquarie.	Cook.	Fitzroy.	Phillip.	Denison.	Total Deaths from each cause in Sydney.																	
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.		
CLASS I.—ORDER 1.																										
1. Small-pox.....	...	4	4	
1a. Chicken-pox	1	162	62	...	1	2	1	1	
2. Measles	162	105	37	5	54	2	3	19	57		
3. Scarletina.....	...	1	1	1	1	1	1	1	1	1	1	1	1	1	4	206	105	37	5	54	2	3	19	57		
3a. Diphtheria	3	1	1	1	1	1	1	1	2	1	1	3	1	1	5	20	17	36	12	16	7	7	11	14	34	
4. Quinsy	1	1	1	1	1	3	3	4	5	2	...	1	...	1	3		
5. Croup	2	1	1	1	1	5	2	1	3	2	2	17	34	27	16	18	18	5	8	26	31		
6. Whooping-cough	2	...	1	2	...	1	1	1	3	...	3	3	3	3	15	1	21	12	14	63	5	46	30			
7. Typhoid (and Infantile Fever).	2	1	3	15	3	1	2	2	2	9	1	5	6	6	61	77	75	39	61	36	16	50	72	73		
8. Erysipelas	1	1	2	1	3	1	1	11	19	26	18	4	3	3	2	5	2			
9. Metria (See Childbirth)	1	1	2	11	18	23	9	16	8	7	8	12			
10. Carbuncle	2	1	...	1			
11. Influenza	14	6	2	1	3	3	2	6	4			
12. Dysentery	6	2	1	1	2	2	12	15	29	15	13	23	25	27	21	27			
13. Diarrhoea.....	15	4	3	21	10	2	10	...	32	3	21	2	14	3	15	2	157	133	208	159	108	147	101	108	73	95
14. Cholera	4	1	...	1	1	2	...	3	3	1	16	18	20	17	13	12	7	7	6	7		
15. Ague.....	...	1	1	2	6	...	1			
16. Remittent Fever.....	4	6	3	3	1	2	...	2	1				
17. Rheumatism	1	4	...	2	...	1	...	2	...	2	12	11	14	9	9	6	10	6	6	6			
18. Pyæmia	1	...	1	2	5	6	2	2	3	3				
19. Parotitis	1				
	28	12	8	49	19	7	16	4	47	17	30	20	30	11	29	10	337	572	748	440	279	345	256	237	307	383
ORDER 2.																										
1. Syphilis	1	4	1	2	...	1	...	9	11	9	6	13	10	4	4	5	7		
2. Stricture of the Urethra	3	3	6	3	3	1	5	1	1	1	1	5			
	...	1	7	1	2	...	1	...	12	17	12	9	14	15	5	5	6	12		
ORDER 3.																										
1. Privation	1	1	...	10	3	11	4	...	1	...	1	4	3	2	4	1	8			
2. Want of Breast Milk.....	1	1	1	...	10	3	11	4	31	38	29	22	30	31	12	7	8	8					
3. Purpura and Scurvy	1	1	1	1	...	4	2	2	4	1	2	2	1	2	2	1	3			
4. Alcoholism :—	1	...	1	...	2	7	17	7	6	4	1	6	8	5					
a. Del. Tremens	2	24	...	3	1	...	3	1	2	1	37	35	20	8	16	5	5	5	12	3					
b. Intemperance	2	24	...	3	1	...	3	1	2	1	37	35	20	8	16	5	5	5	12	3					
	1	3	1	24	...	4	1	1	10	5	4	2	11	2	4	1	74	83	68	42	57	45	22	24	30	27
ORDER 4.																										
1. Thrush	1	...	2	3	...	7	4	6	5	6	7	1	1				
2. Worms, &c.	1	1	1	2	3	2	1	1	...	2	2				
2a. Hydatid	1	3	4	3				
	...	1	3	1	...	2	...	1	8	4	9	7	8	6	7	7	3	3				
Total Class I	29	16	10	83	19	11	18	5	60	22	34	23	43	13	34	11	431	676	837	498	358	411	290	273	346	425
CLASS II.—ORDER 1.																										
1. Gout	1	1	1	...	1	...	1	...	4	3	3	1	2	4	1	3	4	1			
2. Dropsy	2	6	6	...	5	...	2	1	11	6	2	3	3	47	50	15	9	21	16	9	22	9	17			
3. Cancer	1	14	2	...	7	6	...	2	1	33	48	44	49	56	38	27	28	19	26				
3a. Tumour	2	5	1	...	1	...	9	4	2	1	2					
3b. Polypus					
4. Noma	2	3	1	2	1	...	1	1					
5. Mortification	1	...	1	1	3	3	4	4	2	7	1	2	1	4					
	2	10	26	...	7	...	4	1	19	...	13	3	7	4	96	110	71	65	85	65	38	56	33	49		
ORDER 2.																										
1. Scrofula	3	...	1	...	4	...	1	2	...	2	1	...	10	7	8	12	16	14	8	8	10	14			
2. Tabes Mesenterica	8	5	3	...	6	...	15	2	38	26	13	12	166	202	201	165	153	155	139	122	101	115				
3. Phthisis	14	1	39	...	6	...	1	...	1	...	1	6	3					
3a. Haemoptysis	3	2	1	1	...	7	19	19	17	7	10	14	19	14	4					
4. Hydrocephalus	1	...	1	...	1	...	2	...	1	...	1	...	2	1	...	1	1	1	1					
5. Abscess.....	...	1	1	2	3	...	2	1	...	1	1	1	1	...				
	9	14	6	47	3	7	5	15	15	41	1	30	8	14	4	13	232	292	285	242	202	218	198	182	148	153
Total Class II	11	24	6	73	3	14	5	19	16	60	1	43	11	21	4	17	328	402	356	307	287	283	236	238	181	202
CLASS III.—ORDER 1.																										
1. Cephalitis.....	2	1	5	1	5	1	4	...	14	1	4	1	4	2	50	44	61	59	80	59	36	32	42	48		
2. Apoplexy	5	...	14	...	8	...	5	10	...	8	...	4	7	61	45	67	56	55	40	44	42	40	43		
3. Paralysis	2	19	...	3	...	2	...	2	...	3	...	5	4	40	37	24</									

J--continued.

CAUSES OF DEATH.	Gipps.	Bourke.	Brisbane.	Macquarie.	Cook.	Fitzroy.	Phillip.	Dension.	Total Deaths from each cause in Sydney.																	
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.		
CLASS III.—ORDER 1— <i>continued.</i>																										
5. Chorea	1	1	...	1	1	1	2	3	1	12	1	2	1	
6. Epilepsy	1	1	6	9	17	1	8	1	9	1	15	79	112	15	9	15	12	16	15	10	4	7		
7. Convulsions	8	4	3	1	2	1	4	4	2	1	4	34	36	41	51	45	35	36	21	27	83	91		
8. Brain Disease, &c.	2	...	10	...	3	1	2	1	4	4	2	1	4	34	36	41	51	45	35	36	21	27	24		
	11	11	9	44	11	17	14	10	33	19	12	20	13	16	20	18	278	293	310	322	313	297	236	210	217	233
ORDER 2.																										
1. Pericarditis	1	...	3	2	2	1	...	1	5	4	4	6	...	1	2	5	7	6		
2. Aneurism.....	...	5	7	...	8	1	17	1	8	5	5	10	7	9	7	7	8	11	12	13	7		
3. Heart Disease, &c.	4	...	28	...	7	...	8	1	17	1	8	5	5	84	115	107	91	87	92	93	89	84	71		
	...	5	...	36	...	7	...	10	1	17	1	10	7	5	99	126	120	104	94	101	106	106	104	84		
ORDER 3.																										
1. Laryngitis	1	1	...	1	...	5	1	2	8	8	5	6	3	8	6	4	85	108	106	104	80	84	109	71	69	59
2. Bronchitis	6	3	...	15	2	5	4	2	8	8	5	6	3	1	2	8	14	15	9	4	1	4	6	11	16	
3. Pleurisy	1	...	2	1	...	1	...	1	...	1	...	1	2	8	14	15	9	4	1	4	6	11	16	
4. Pneumonia	3	3	1	22	4	5	1	3	6	6	2	2	4	5	3	4	74	82	106	94	73	80	83	64	60	55
4a. Congestion of the Lungs—Pulmonary.	...	1	1	2	...	8	...	3	2	2	1	2	...	22	19	13	94	73	80	83	64	60	55	
5. Asthma	1	...	1	3	11	11	9	6	1	3	6			
6. Lung Disease, &c.	3	...	2	2	...	1	2	10	11	11	8	15	10	10	21	25	17			
	11	7	2	44	6	12	8	6	25	14	11	12	9	16	11	12	206	243	268	233	184	184	209	168	169	154
ORDER 4.																										
1. Gastritis	4	2	1	7	...	1	3	6	2	2	2	1	6	1	26	22	35	14	5	6	10	18	13	4		
2. Enteritis	1	4	1	1	...	1	1	2	2	2	1	6	1	22	29	38	36	42	35	36	27	25	27			
3. Peritonitis	1	7	...	2	...	1	1	1	1	1	1	1	1	1	16	13	20	13	5	14	6	7	16	9		
4. Ascites	1	...	1	1	...	1	1	1	1	1	1	1	1	3	4	4	4	4	4	6	1	9	1		
5. Ulceration of Intestines	...	1	...	1	1	...	1	1	1	1	1	1	1	1	1	4	2	3	2	4	4	8	...	3		
6. Hernia	3	3	3	3	1	2	...	1	2		
7. Ileus.....	...	1	...	1	...	1	1	1	1	1	1	1	1	1	6	1	8	2	2	8	3	9	3			
8. Intussusception	1	1	1	1	1	1	1	1	3	2	3	2	4	5	2	1	...	3		
9. Stricture of Intestines	1	1	2	1	2	2	1	...	1	2			
10. Fistula		
11. Stomach Disease, &c....	1	1	1	1	...	1	...	1	...	5	15	7	7	19	15	14	6	11	3			
12. Pancreas Disease, &c....		
13. Hepatitis	12	...	5	...	3	1	2	1	1	1	1	1	1	3	27	31	23	5	9	15	8	9	10	12	
14. Jaundice	1	1	2	1	1	1	1	1	1	5	7	5	5	8	5	1	2	1	...		
15. Liver Disease, &c.	1	3	1	2	3	1	2	1	7	4	3	28	32	51	41	38	26	36	28	36	22			
16. Spleen Disease, &c....	1			
	6	8	2	29	8	11	2	10	9	9	10	15	4	7	8	9	147	162	202	137	142	141	126	118	120	85
ORDER 5.																										
1. Nephritis	2	2	3	...	1	...	1	1	1	1	1	1	1	1	11	12	10	7	4	1	4	...	2	...		
2. Ischuria	1	5	6	1	3	3	3	3	30	44	32	37	22	10	20	4	10	8		
3. Nephria	1	10	...	3	...	1	1	1	1	1	1	1	1	1	1	4	2	...	1	3	3	2	...			
4. Diabetes	1	1	1	...	3	1	4	2	...	1	3	3	2	...		
5. Stone	1	3	2	2	1	1	1	1	1	1		
6. Cystitis.....	...	3	1	...	1	...	1	...	1	...	5	3	8	3	4	3	3	2	2	4		
7. Kidney Disease, &c....	1	2	1	1	...	1	1	3	...	2	10	11	12	18	10	15	9	8	9	8	9	8	9	6		
	4	18	3	4	2	1	7	1	10	3	6	59	72	69	71	42	32	41	18	27	21			
ORDER 6.																										
1. Ovarian Dropsy	1	...	2	3	1	2	3	1	4	9		
2. Uterus Disease, &c....	6	5	5	5	3	2	3	4	10			
	7	5	5	5	3	2	3	4	10			
ORDER 7.																										
1. Arthritis	1	1	2	3	2	...	1	1			
1a. Ostitis, Periostitis, &c.	1	...	1	2	2	1	1	3	1	1	3	2			
2. Joint Disease, &c.	1	...	1	4	5	3	1	4	1	2	1	3			
	...	1	1	...	1	1	4	5	3	1	4	1	2	1	3			
ORDER 8.																										
1. Phlegmon.....	1	1	2	3	1	2	1	5	5	4	1	2		
2. Ulcer	1	1	2	2	2	2	3	2	3	2	1			
3. Skin Disease, &c.	1	1	2	4	5	4	3	9	7	6	3	6		
Total Class III.....	28	36	13	172	28	52	24	38	69	67	35	69	26	49	39	50	795	912	982	877	787	768	732	630	647	595

I—continued.

CAUSES OF DEATH.	Gipps.	Bourke.	Brisbane.	Macquarie.	Cook.	Fitzroy.	Phillip.	Denison.	Total Deaths from each cause in Sydney.																	
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.		
CLASS IV.—ORDER 1.																										
1. Premature Birth.....	6	...	3	...	3	...	4	...	10	...	8	...	10	...	4	...	48	60	67	28	37	37	40	32	32	33
2. Cyanosis	2	1	...	1	...	1	...	1	...	1	6	5	4	2	...	3	3	4	...	4
3. Spina Bifida	1	...	1	2	3	...	2	1	1	2
4. Other Malformations..	1	...	1	1	...	1	...	2	6	5	5	6	7	3	9	10	7	3	3	
5. Teething	5	...	2	...	3	...	1	...	9	...	3	...	17	...	11	...	51	35	41	49	32	53	47	37	52	39
	14	...	6	...	6	...	8	...	22	...	12	...	30	...	15	...	113	108	117	87	77	97	101	83	91	79
ORDER 2.																										
1. Paramenia	2	1	3	1	...
2. Childbirth (See Metria)	2	11	...	2	...	2	...	1	18	17	30	4	3	...	3	4
	2	11	...	2	...	2	...	1	18	19	31	4	3	...	3	4	3	1	...
ORDER 3.																										
1. Old Age	2	23	4	...	9	...	6	...	5	...	7	56	69	61	51	60	50	41	52	35	46	
ORDER 4.																										
1. Atrophy and Debility...	8	...	1	...	8	...	12	...	28	...	13	...	22	...	22	...	114	130	162	142	108	101	89	119	120	122
Total Class IV	22	2	7	25	14	...	20	4	50	20	25	8	52	7	37	8	301	326	371	284	248	248	234	258	249	248
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																										
1. Fractures & Contusions	1	...	1	22	1	3	1	2	...	1	...	3	...	2	...	3	40	35	40	35	32	36	25	20	16	30
2. Wounds { a. Gunshot	1	1	4	6	4	5	3	2	3	2	...
b. Cuts	6	22	10	9	19	8	8	12	8	11
3. Burns and Scalds	5	1	4	1	1	3	4	2	...	1	1	1	
3a. Sunstroke	2	...	1	1	1	...	1	...	1	1	1	3	1	1		
4. Poison	1	1	
4a. Bite of Snake or Insect	15	12	10	16	21	13	21	16	14	18	
5. Drowning.....	4	1	5	1	3	1	1	15	12	10	16	21	13	21	16	14	18	
6. Suffocation	2	...	1	1	2	1	1	8	6	7	2	4	...	3	10	5	2		
7. Otherwise—Shock, &c.	1	...	4	
	1	4	4	35	3	8	3	3	1	2	...	5	1	2	...	3	75	81	79	74	86	63	59	65	47	63
ORDER 2.— VIOLENT DEATHS IN BATTLE.																										
1. Gunshot Wounds	
2. Sword and Bayonet Wounds.	
3. Otherwise.....	
ORDER 3.—HOMICIDE.																										
1. Murder.....	1	...	2	1	1	...	1	6	2	3	8	4	5	4	1	2	...	
2. Manslaughter	1	1	8	2	4	2	1	5	1	4	1	
	1	...	2	2	1	...	1	7	10	5	12	6	6	9	2	6	1	
ORDER 4.—SUICIDE.																										
1. Wounds { Gunshot	2	1	...	1	4	1	1	2	...	2	2	...	
Cut, Stab,&c.	1	...	1	1	5	5	4	4	3	4	2	4		
2. Poison	1	...	1	1	3	4	4	2	1	1	2	3	...		
3. Drowning.....	1	...	1	2	1	1	1	...		
4. Hanging	1	...	1	2	1	3	3	1	2	2	1	1		
5. Otherwise.....	1	1	1		
	1	...	3	3	...	2	...	1	10	14	15	10	6	8	5	8	10	4	
ORDER 5.—EXECUTION.																										
1. Hanging	1	1	...	4	3	1		
Violent Deaths (not classed), Found drowned, &c.	2	...	4	...	6	...	1	...	1	1	...	15	14	8		
Total Class V	2	7	6	44	3	14	3	6	2	4	1	7	2	2	...	4	107	120	108	96	102	80	73	75	63	69
Causes not specified or ill-defined.	...	2	...	5	...	5	...	2	...	7	1	6	1	2	...	7	38	55	19	15	18	20	18	18	25	60
GRAND TOTALS ...	92	87	42	402	67	96	70	74	197	180	97	156	135	94	114	97	2000	2491	2673	2077	1800	1810	1583	1492	1511	1599

J.

BIRTHS and DEATHS occurring at Sea, registered in the Colony of New South Wales, from 1st January to 31st December, 1877.

		Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
		9	17	26	47	27	74
Sydney	...						

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment.
1. Sydney	The Registrar General.....	15 Dec., 1870	46. Maitland	Cornelius Delohery, C.P.S.	1 April, 1876
2. Balmain	William Parker, chemist.....	4 July, 1861	47. Manning River	Jasper A. Creagh, C.P.S.	1 Feb., 1875
3. Concord	M. B. Young.....	24 May, 1877	48. Menindie	Rudolph Roxburgh Morisset	9 Feb., 1875
4. Glebe	William Richard Cobbin.....	16 Nov., 1875	49. Moama	L.S. Donaldson, P.M.	1 Jan., 1878
5. Newtown	Charles Alfred Newman	9 April, 1857	50. Molong	John H. Nisbett, C.P.S.	1 Nov., 1875
6. Paddington	Henry Gale, postmaster	1 July, 1863	51. Morpeth	John Keating	16 Sept., 1872
Randwick	Wm. Bethune, Assistant D.R.	1 Feb., 1878	52. Moulamein	Thomas Linton	13 July, 1860
Waverley	W. Wiley, Assistant D.R.	1 Aug., 1876	53. Mudgee	F. S. Isaacs, C.P.S.	1 Oct., 1876
7. Redfern	Christopher Warburton	30 Oct., 1865	54. Gulgong	Cornelius Coghlan, C.P.S., Assistant D.R.	1 April, 1878
8. Waterloo	Thomas Armitage Salmon....	1 April, 1874	55. Murrurundi	Geo. Gray Brodie, C.P.S.	2 Aug., 1869
9. St. George	Theophilus Henry Bolger....	13 Oct., 1866	56. Muswellbrook	Timothy Foley, C.P.S.	1 Dec., 1867
10. St. Leonards.....	Robert Dalzell Ward, surgeon	28 Feb., 1856	57. Narrabri	C. E. Smith, P.M.	16 May, 1859
Manly	Æmelia M. Stephen, Assistant D.R.	1 July, 1877	58. Newcastle.....	John Burrowes	28 Feb., 1856
11. Albury	James Chas. W. Crommelin	8 July, 1872	59. Lambton	William F. Dent, Assistant D.R.	13 Aug., 1874
12. Armidale	Ed. Marriott, C.P.S.	1 Mar., 1876	60. Wallsend	Thomas Alnwick, Assistant D.R.	1 Jan., 1875
13. Balranald.....	Richard B. Mitchell, C.P.S.	7 Feb., 1867	61. Nundle	Samuel Kermode	2 Mar., 1874
14. Bathurst	James Beuzeville	8 April, 1874	62. Orange	William T. Evans, C.P.S.	20 Feb., 1856
15. Bega	John Davis, C.P.S.	1 Jan., 1871	63. Parramatta	George Langley, C.P.S.	2 Aug., 1869
16. Berrima	Fredk. Robertson Wilshire, P.M. & C.P.S.	1 May, 1872	64. Paterson	Benjamin Newbury (surgeon)	22 Mar., 1858
Burrawang	D. Moffitt, Assistant D.R.	1 Oct., 1876	65. Penrith	Fredk. J. Robinson	23 June, 1875
17. Bombala	James Giles, C.P.S.	24 Jan., 1871	66. Picton	John K. Cleeve, junr., C.P.S.	2 Aug., 1869
18. Bourke	Louis Fredk. Layard, C.P.S.	26 Oct., 1874	67. Port Macquarie	Wm. Redfern Antill	30 Mar., 1857
19. Braidwood	W. F. Robertson, C.P.S.	1 Sept., 1875	68. Port Stephens	Robert Issell Perrott, C.P.S.	1 Oct., 1873
20. Brisbane Water	Thomas Cade Battley, C.P.S.	9 July, 1856	69. Queanbeyan	Thomas Laman, C.P.S.	2 Aug., 1869
21. Broulee	W. Clarke, C.P.S.	1 Oct., 1876	70. Raymond Terrace	Fredk. B. Russell, P.M.	1 July, 1869
22. Burrowa	William J. E. Wotton, C.P.S.	2 Aug., 1869	71. Richmond	William Gloag	28 Feb., 1856
Grenfell	William Fox Parker, C.P.S., Assistant D.R.	17 Feb., 1870	72. Richmond River	Rowland H. Ducke	1 Jan., 1878
23. Camden	John B. Martin, C.P.S.	14 Aug., 1856	73. Ryde	Malcolm M'Intyre Campbell, C.P.S.	26 April, 1875
24. Campbelltown..	Henry Arkell Smith, C.P.S.	22 April, 1872	74. Rylstone	Geo. M. Pope, C.P.S.	30 Mar., 1857
25. Carcoar	Wm. Badeock Warner	1 Oct., 1877	75. Seone	W. W. Armstrong, C.P.S.	5 Mar., 1857
26. Cassilis	Wm. A. Brodie, C.P.S.	1 Feb., 1878	76. Shoalhaven	James T. Wilshire, C.P.S.	1 May, 1872
27. Clarence Town..	A. Newman	1 Oct., 1876	77. Sofala	William Lovegrove, C.P.S.	2 Aug., 1869
28. Cooma	Geo. H. Smithers, C.P.S.	12 Sept., 1875	78. Tambaroora	Charles G. Smith	1 June, 1871
29. Coonabarabran..	Fredk. Wm. Edwards, C.P.S.	25 Nov., 1863	79. Tenterfield	James Sydney Willard (post master).	28 June, 1872
Coonamble	J. H. L. Scott, P.M., Assistant D.R.	27 Aug., 1877	80. Tweed River	W. C. Weston, C.P.S., Assistant D.R.	1 Jan., 1877
30. Cowra	John Arkins, C.P.S.	14 Nov., 1870	81. Ulladulla	John McDonald, C.P.S.	9 May, 1859
31. Deniliquin	William Henry Hooper	1 June, 1874	82. Warragga Wagga..	J. G. Stewart, C.P.S., Assistant D.R.	17 Aug., 1876
32. Dubbo	Luke M'Guinn, C.P.S.	1 Aug., 1863	83. Wentworth	John Simons, C.P.S.	1 Sept., 1875
33. Dungog	Chas. G. Smith, C.P.S.	17 Sept., 1875	84. Wollombi	Joshua Bray	28 Sept., 1875
34. Eden	R. B. Hays, C.P.S.	1 Jan., 1877	85. Wollongong	Henry Hilton	15 Jan., 1870
35. Forbes	Stephen Freeman, C.P.S.	1 Sept., 1873	86. Yass	John V. Wareham, C.P.S.	2 Aug., 1869
Parkes	Alexr. Boswell Armstrong, C.P.S., Assistant D.R.	13 July, 1874	87. Gunnedah	Edwin H. Tompson, C.P.S.	2 Aug., 1869
36. Goulburn	Chas. Somerville Alexander, C.P.S.	31 Mar., 1862	88. Tumut	F. B. Hales, P.M.	1 Dec., 1875
37. Grafton	Wm. Henry Thomas, C.P.S.	1 April, 1874	89. Ulladulla	F. C. Macarthur, C.P.S.	1 Jan., 1877
Maclean	Samuel Macnaughton, post master, Assistant D. R.	1 June, 1872	90. Wagga Wagga..	W. C. Rodgerson (Mining Registrar).	1 July, 1876
38. Gundagai	Archibald Scott Smith, post master.	1 Feb., 1872	91. Wollombi	George Henry Gower (Warden's Clerk).	1 May, 1875
Adelong	John James, Assistant D.R.	5 May, 1877	92. Wollongong	Frederick Marsh, C.P.S.	28 April, 1862
39. Hartley	William Patk. Macdermott, (auctioneer)	25 July, 1869	93. Yass	Wm. Lyle Richardson, P.M.	1 April, 1872
40. Hay	Joseph Ede Pearce, P.M.	1 June, 1874	94. Gunnedah	Wm. Hy. H. Becke, C.P.S.	1 April, 1874
41. Inverell	Wm. Clare Cardew, C.P.S.	1 April, 1875	95. Tumut	Alfred Elliott	12 Mar., 1878
42. Kiama	Henry Connell, junr., C.P.S.	5 June, 1863	96. Wollongong	Alfred A. Turner, C.P.S.	2 Aug., 1869
43. Liverpool	William Long (schoolmaster)	8 June, 1866	97. Yass	Leopold Yates, C.P.S.	17 June, 1870
44. Macdonald River	Thos. J. Thompson (post master).	Aug., 1877	98. Gunnedah	John Fred. Kenyon, C.P.S., Assistant D. R.	1 Sept., 1877
45. Macleay River...	J. B. Casey, C.P.S.	1 April, 1877	99. Wellington	J. R. Edwards, C.P.S.	2 Aug., 1869
Bellinger River...	Arthur M. Fisher, P.M. & C.P.S., Assistant D.R.	1 Nov., 1877	100. Wentworth	C. Cutcliffe, C.P.S., Assistant D.R.	14 Aug., 1876
Nambucca River	George Henderson, Assistant D.R.	5 Sept., 1877			